



CBLOKSET-MX、CBLOKSET、COKKEN、8PT Low Voltage Switchgear



Ningbo Richge Technology Co., Ltd

Room (4-1)(4-2)B203,Building003 No.1083,
Zhongshan East Road Yinzhou District, Ningbo, Zhejiang,China

Sunny Zhao
International Sales Manager

Mobile:+8618958965181 (Whatsapp/Viber)

E-mail:sales@switchgearcn.net

<https://www.richgeswitchgear.com/>

Integrated industry and trade manufacturing company established in 1987. It is a designated accessory manufacturer by the China Electrical Equipment Industry Association, the Electric Control Industry Association and relevant state ministries and commissions, and a governing unit of the Electrical Machinery and Equipment Structure Branch of the China Electrical Equipment Industry Association. There are more than 1,000 products, covering all low-voltage switchgear accessories listed as MNS, GCS, GCK, R-Blokset, R-Okken, etc. Main circuit connectors, auxiliary circuit connectors, switch operating mechanisms, MNS, GCS insulating parts, cable connection unit, switchgear door locks and other series of products have been repeatedly rated as industry recommended products and Zhejiang Province market trusted famous and high-quality products.

CNC laser cuttings machines, folding machines, 63-ton punching machines, 630~4500g fully automatic computer-controlled injection molding machines, etc. Temperature rise testing equipment , voltage testers, resistance testers and other related testing equipment.

We always adhered to the corporate purpose of quality-oriented, hard innovation, sincere service, and steady development. With the care and help of all sectors of society, it has continued to grow. ISO 9001:2000 quality system certificated, which has built a bridge of credibility for domestic and foreign sales. We sincerely hope to strengthen cooperation and create brilliance together.



CONTENT>>>

CBLOKSET-MX	P01-14
CBLOKSET	P15-26
COKKEN	P27-43
8PT	P44-62
CMNS3.0	P63-69
NATUS	P70-75
MD190	P76-76

CBLOKSET-MX Low Voltage Switchgear Accessories



CBLOKSET Low Voltage Withdrawable Switchgear Accessories

- 1.新型全系列低压开关柜;
- 2.满足所有需要6300A及以下场合的高可靠性低压系统;
- 3.开关柜采用模块化的多功能系统,易于安装,主电路和辅助电路连接简便;
- 4.提供高水准的可靠性和安全性,加强了对人身和设备安全的保护;
- 5.标准化元件配置缩短了交货和安装时间;

BLOKSET 低压配电柜的开发与应用

Blokset系列开关柜(简称B柜)是专门为其低压配电产品而设计,它适用于400Hz以下,额定电压690 V,绝缘电压1000V,额定电流

6300 A及以下的电力供电系统,符合IEC60439-1、IEC60529、IEC60947 等相关标准,可作为动力配电中心、电动机控制中心、电容补偿及终端配电等电能控制、转换与分配设备使用。B柜适用于发电厂、变电所、工矿企业、民用建筑基础设施等各个领域,是20世纪90年代低压配电柜先进技术的代表。

- 1.New full series low-voltage switchgear;
- 2.Meet all high reliability low-voltage systems that require 6300A and below;
- 3.The switchgear adopts a modular multifunctional system, which is easy to install, and the connection between the main circuit and auxiliary circuit is simple;
- 4.Providing a high level of reliability and safety, strengthening the protection of personal and equipment safety;
- 5.Standardized component configuration shortens delivery and installation time;

Development and Application of BLOKSET Low Voltage Distribution Cabinet

Blokset series switchgear (referred to as B cabinet) is specifically designed for its low-voltage distribution products. It is suitable for power supply and distribution systems below 400Hz, with a rated voltage of 690 V, insulation voltage of 1000 V, and a rated current of 6300 A and below. It complies with relevant standards such as IEC60439-1, IEC60529, IEC60947, and can be used as power distribution centers, motor control centers, capacitor compensation, and terminal distribution equipment for energy control, conversion, and distribution. B cabinet is suitable for various fields such as power plants, substations, industrial and mining enterprises, civil construction infrastructure, etc. It is a representative of advanced technology for low-voltage distribution cabinets in the 1990s



GH100680
名称: 导轨附件
包装规格: 1套/包
单位: 包
Designation: Guide rail accessories
Packing: 1Set / Bag
Unit: Bag



GH100681
名称: 位置显示套件(≥3M)
包装规格: 1套/包
单位: 包
Designation: Position display kit(≥3M)
Packing: 1Set / Bag
Unit: Bag



GH100682
名称: 位置显示套件(2M 或 4M/2)
包装规格: 1套/包
单位: 包
Designation: Position display kit(2M or 4M/2)
Packing: 1Set / Bag
Unit: Bag



GH100683
名称: 绝缘格栅
包装规格: 1套/包
单位: 包
Designation: Grid
Packing: 1Set / Bag
Unit: Bag



GH100684
名称: 抽屉铰链
包装规格: 1套/包
单位: 包
Designation: Drawer hinge with pin and circlip
Packing: 1 Set / Bag
Unit: Bag



GH100685
名称: 抽屉转接模块
包装规格: 1套/包
单位: 包
Designation: Connector for drawer
Packing: 1Set / Bag
Unit: Bag



GH100686
名称: 辅助接点插头
单位: 件
Designation: Auxiliary contact connector pin
Unit: Piece



GH100687
名称: 辅助接点插座
单位: 件
Designation: Auxiliary contact jack
Unit: Piece

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



GH100688

名称: 绝缘格栅(36M)
单位: 包
Name: Insulated grille (36M)
Unit: Package



GH100642

名称: 铰链帽
单位: 件
Designation: Hinge cap
Unit: Piece



GH100690

名称: 抽屉转接模块
单位: 包
Name: Drawer adapter module
Unit: Package



GH100694

名称: NSXm/GV43P 半模联锁机构
单位: 包
Name: NSXm/GV43P
Half mold interlocking mechanism
Unit: Package



GH100695

名称: NS2503P联锁机构
单位: 包
Name: Secondary plug-in guide pin
Unit: Package



GH100696

名称: GV2联锁机构新版
单位: 包
Name: GV2 Interlocking Mechanism
New Version
Unit: Package



GH100700

名称: 3PI/2 抽屉配电模块
单位: 包
Name: 3PI/2 drawer power distribution module
Unit: Package



GH100701

名称: 4PI/2 抽屉配电模块
单位: 包
Name: 4PI/2 drawer power distribution
Unit: Package



GH100706

名称: 10芯辅助接点插头
单位: 包
Name: 10 core auxiliary contact plug
Unit: Package



GH100707

名称: 10芯辅助接点插座
单位: 包
Name: 10 core auxiliary contact socket
Unit: Package



87GDE512

名称: 抽屉移动部分3P一次插件
单位: 包
Name: 3P primary plug-in for drawer moving part
Unit: Package



87GDE843

名称: 抽屉固定部分3P一次插件带线缆
单位: 包
Name: 3P primary plug-in for fixed part of drawer with cable
Unit: Package



705658

名称: 梳形母线绝缘块
单位: 件
Designation: Comb busbar insulating block
Unit: Piece



705680

名称: 双折门铰链
单位: 包
Name: Double fold door hinge
Unit: Package



705681

名称: M10绝缘螺母
单位: 包
Name: M10 insulating nut
Unit: Package



706204

名称: M10绝缘螺杆
单位: 包
Name: M10 insulated screw
Unit: Package

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



25278007
 名称: H35 M8绝缘子
 单位: 件
 Designation: H35 M8 insulator
 Unit: Piece



87182
 名称: M6x13 自攻锁紧螺钉
 包装规格: 1000件/包
 单位: 包
 Designation: Self threading screw
 M6x13
 Packing: 1000Pcs/Bag
 Unit: Bag



87183
 名称: M5x20 自攻螺钉
 包装规格: 500件/包
 单位: 包
 Designation: Selfthreading screw M5x20
 Packing: 500Pcs/Bag
 Unit: Bag



87196
 名称: M4x8 自攻锁紧螺钉
 包装规格: 1000件/包
 单位: 包
 Designation: Selfthreading screw M4x8
 Packing: 1000Pcs/Bag
 Unit: Bag



87270
 名称: 垂直母线40/50支架(BB70)
 包装规格: 7件/包
 单位: 包
 Designation: Bar support 40/50-BB70
 Packing: 7Pcs/Bag
 Unit: Bag



87271
 名称: 垂直母线80/100支架(BB70)
 包装规格: 6件/包
 单位: 包
 Designation: Bar support 80/100-BB70
 Packing: 6Pcs/Bag
 Unit: Bog



87ZQH27607
 名称: 垂直母线40/50支架(BB70)
 包装规格: 7件/包
 单位: 包
 Designation: Bar support 40/50-BB70
 Packing: 7Pcs/Bag
 Unit: Bag



87272
 名称: 垂直母线底座(BB70)
 包装规格: 4件/包
 单位: 包
 Designation: Bottom support-BB70
 Packing: 4Pcs/Bag
 Uni: Bag



87364
 名称: 3P 250A 进线插头
 包装规格: 3件/包
 单位: 包
 Designation: upstream jaws 3P 250A
 Packing: 3Pcs/Bag
 Unit: Bag



87368
 名称: 3P 250A出线插头
 包装规格: 3件/包
 单位: 包
 Designation: Downstream jaws 3P250A
 Packing: 3Pcs/Bag
 Unit: Bag



87366
 名称: 3P 630A进线插头
 包装规格: 3件/包
 单位: 包
 Designation: Upstream jaws 3P 630A
 Packing: 3Pcs/Bag
 Unit: Bag



87370
 名称: 3P 630A出线插头
 包装规格: 3件/包
 单位: 包
 Designation: downstream jaws 3P 630A
 Packing: 3Pcs/Bag
 Unit: Bag



87EAV72005
 名称: 3P 400A进线插头
 单位: 包
 Name: 3P 400A incoming plug
 Unit: Pockoge



87EAV72007
 名称: 3P 400A出线插头
 单位: 包
 Name: 3P 400A outgoing plug
 Unit: Package



87265
 名称: 630A 3P出线排支撑夹子
 包装规格: 3件/包
 单位: 包
 Designation: Connection support 630A
 3P
 Packing: 3Pcs/Bag
 Unit: Bag



87372
 名称: 250A 3P出线排支撑夹子
 包装规格: 3件/包
 Designation: Connectionsupport 250
 A3P
 Packing: 3Pcs/Bag

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



87270.1
名称: 垂直母线40/50/60支架三极
单位: 包
Name: Vertical bus 40/50/60 bracket 3- pole
Unit: Package



87271.1
名称: 垂直母线80/100支架三极
单位: 包
Name: Vertical bus 80/100 bracket 3-pok
Unit: Packoge



BBV14097
名称: LS516-75拉手
单位: 包
Name: LS516-75 Handle
Unit: Pockoge



BBV14098
名称: LS516-100拉手
单位: 包
Name: LS516-100 Handle
Unit: Package



87272.1
名称: 垂直母线底座(BB70) 三极
单位: 包
UnPeckegelbus boseB7013-pole



GH100683.1
名称: 三级绝缘格栅
单位: 包
NnmPackedgelinsuaton gid



87MFR73738
名称: 带电动操作机构的 MCCB 的
抽屉联锁套件
单位: 包
Name: Drawer interlocking kit for MCCB
with electric operating mechanism
Unit: Package



LVM10004
名称: 抽屉把手75mm
单位: 只
Name: Drower hande75mm
Unit: piece



GH100688.1
名称: 三级绝缘格栅(36M)
单位: 包
Name: Third level insulation grille (36M)
Unit: Pockoge



ZQH1551302
名称: 抽屉右侧定位机构
单位: 只
Name: Drawer right positioning mechanism
Unit: piece



LVM10005
名称: 抽屉把手98.5mm
单位: 只
Name: Drawer handle 98.5mm
Unit: piece



LVM10006
名称: 固定柜把手
单位: 只
Name: Fxed cabinet handle
Unit: piece



88672
名称: 抽屉门板固定销钉
单位: 只
Name: Drawer dor plate fxing pin
Unit: piece



88701
名称: 右侧机构按钮
单位: 包
Name: M10 insulatingnut
Unit: Packoge



ZQH1004202
名称: 完整铰链(新)
单位: 包
Name: Complete Hinge (New)
Unit: Package



ZQH1004301
名称: 上/下铰链(新)
单位: 包
Name: Upper/Lower Hinge (New)
Unit: Package

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality

ZQH1004302
名称：上/下铰链(新)
单位：包
Name: Upper/Lower Hinge (New)
Unit: Packag

ZQH2000602
名称：连接支架前左后右
单位：个
Name: Connecting bracket front left rear rgh
Unit: piece

ZQH2000702
名称：连接支架前右后左
单位：个
Name: Connecting bracket front right rear left
Unit: piece

ZQH2022402
名称：大门挂钩
单位：个
Name: Gate hook
Unit: piece

ZQH2201302
名称：门锁支架
单位：个
Name: Door lock bracket
Unit: piece

ZQH2100302
名称：门锁导向支架
单位：个
Name: Door lock guide bracket
Unit: piece

BMW4033602
名称：抽屉移动导轨
单位：个
Name: Drawer moving guide rail
Unit: piece

BMW4033502
名称：抽屉固定导轨
单位：个
Name: Drawer fixed guide rail
Unit: piece

87384
名称：抽屉位置机械机构
包装规格：1件/包
单位：包
Designation: Drawer position mechanism
Packing: Set/Bag
Unit: Bag

87512
名称：1/2抽屉移动部分40A3P 接线插头
包装规格：3件/包
单位：包
Designation: 40A 3P connector for 1/2-width drawer movingpart
Packing: 3 Pcs/Bag
Unit: Bag

87598
名称：3P 250A进线插头70-1
包装规格：3件/包
单位：包
Designation: Upstream jaws &connecting pads 3P 250A
Packing: 3Pcs/Bag
Unit: Bog

87630
名称：GV2/3 抽屉机械联锁(4M)
包装规格：1套/包
单位：包
表面处理：镀白、镀镍
Designation: Mechanical lock for GV2/3 drawer 4M
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickeled

87782
名称：GV2/3 抽屉机械联锁(1/26M)
包装规格：1套/包
单位：包
表面处理：镀白、镀镍
Designation: Mechanical lockfor GV2 1/2width drawer 6M
Packing: ISet/Bag
Unit: Bag
Surface Preparation: Zinc-plated UiCkeled

87784
名称：NS80 抽屉机械联锁
包装规格：1套/包
单位：包
表面处理：镀白、镀镍
Designation: Mechanical lock for NS80 drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickeled

87787
名称：GV2 抽屉机械联锁(6M)
包装规格：1套/包
单位：包
表面处理：镀白、镀镍
Designation: Mechanical lock for GV2 drawer 6M
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: Zinc-plated UiCkeled

87788
名称：NS2503P-NS80 抽屉机械联锁
包装规格：1件/包
单位：包
表面处理：镀白、镀镍
Designation: Mechanicallock for NS250 3P-NS80 drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickeled

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality

87789



名称: NS2504P-6303P抽屉机械联锁
包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍
Designation: Mechanical lock for NS250
4P-6303P drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: Zinc-plated NiCkeled

87791



名称: NS630A 4P抽屉机械联锁
包装规格: 1件/包
单位: 包
表面处理: 镀白、镀镍
Designation: Mechanidlock for NS630A
4P drawer
Pocking: 1Set / Bog
Unit: bag
Surface Preparation: zinc-plated nickeled
nickeled

89340



名称: 1.5M 抽屉三极出线(接插件固定部分)
单位: 件
Designation: 1.5M drawer three pole
line(connectorsFixed part)
Unit:Piece

89341



名称: 1.5M 抽屉三极出线(接插件移动部分)
单位: 件
Designation: 1.5M drawer tripolar outlet
(connector moving parts)
Unit: Piece

51127582X0



名称: 完整铰链(带销)
单位: 件
表面处理: 电泳(黑)、镀彩、镀白
Designation: Complete hinge c/w pin
Unit: Piece
SURfacePreparation: zinc-plated

51127584X0



名称: 铰链帽
单位: 只
Designation: Hinged cap
Unit: Piece

51127872X0



名称: 商标底座
单位: 件
Designation: Trodemarks base
Unit: Piece

51132170X0



名称: M12 吊环螺丝
单位: 个
Name: M12 eyebolt
Unit: piece

705699



名称: 弹簧夹螺栓
单位: 只
表面处理: 镀白、镀彩
Designation: Bolf for springclamp
Unit: Piece
Surface PreparatiOn: Zinc-plated

705699(1)



名称: 头形弹簧夹
单位: 只
Designation: Headform spring
clamp
Unit: Piece

89451



名称: 固定柜三角锁芯门锁
单位: 只
Designation: Fixed column triangle
insert door lock
Unit: Piece

89452



名称: 固定柜方形锁芯门锁
单位: 只
Designation: Fxed column square
insert door Lock
Unit: Piece

89461



名称: 三角形钥匙
单位: 把
Designation: triangle key
Unit: Piece

89462



名称: 方形钥匙
单位: 把
Designation: Square key
Unit: Piece

87188



名称: 防旋转垫片
包装规格: 100件/包
单位: 包
Designation: Antfi-rotation bracket
Packing: 100Pcs/Bag
Unit: Bag

87466



名称: 抽屉位置微动开关
单位: 包
Name: Drawer position microswitch
Unit: Package

CBLOKSET-MX Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



HUA11397
名称: D6钢碗形垫圈
Designation: D6 steel bowl gasket



HUA12053
名称: D8钢碗形垫圈
Designation: D8 steel bowl gasket



HUA12584
名称: D12钢碗形垫圈
Designation: D12 steel bowl gasket



HUA12589
名称: 带爪钢垫圈
Designation: With a claw steel washers



HUA12590
名称: D10钢碗形垫圈
Designation: D10 steel bowl gasket



17260203
名称: 3×18密封条(10米/卷)
单位: 卷
Designation: 3×18 sealing strip (10m/reel)
Unit: Piece



HUA44787
名称: 抽屉柜前面板螺钉
单位: 只
Name: Drawer Cabinet Front Panel Screws
Unit: piece



21286006B
名称: 方形卡螺母
螺母规格: M6
Name: Square clamp nut
Nut specification: M12



LV429338
名称: NS80A操作机构及手柄
单位: 套
Designation: Extendedstandard rotary handle for NS80A
Unit: Set



LV432598
名称: NS400-630A操作机构及手柄
单位: 套
Designation: Extended standard rotary handle for NS400-630A
Unit: Set



ADX1183453-NPP
名称: 波纹管分隔方式4b MCCB250
单位: 只
Name: bellows separation method 4b MCCB250
Unit: piece



ADX1183454-NPP
名称: 波纹管分隔方式4b MCCB400
单位: 只
Name: bellows separation method 4b MCCB400
Unit: piece



GH100439X0
名称: 母线固定架
单位: 件
表面处理: 镀白、镀彩
Designation: Bar anchoring bracket
Unit: Piece
Surface Preparation: zinc-plated



ZQH2654202
名称: 二次插件导针
单位: 根
Name: Secondary plug-in guide pin
Unit: root



21286012
名称: 方形卡螺母
螺母规格: M12
Name: Squareclamp nut
Nut specification: M6

CBLOKSET Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



HUA11397
名称: D6 钢碗形垫圈
Designation: D6 steel bowl gasket



HUA12053
名称: D8 钢碗形垫圈
Designation: D8 steel bowl gasket



705658
名称: 梳形母线框
单位: 件
Designation: Comb bar frame
Unit: Piece



705981
名称: M10 绝缘螺母
单位: 只
Designation: M10 insulating nut
Unit: Piece



HUA12584
名称: D12 钢碗形垫圈
Designation: D12 steel bowl gasket



HUA12589
名称: 带爪钢垫圈
Designation: With a claw steel washers



705699
名称: 弹簧夹螺栓
单位: 只
表面处理: 镀白、镀彩
Designation: Bol for spring clamp
Unit: Piece
Surface Preparation: Zinc-plated



705699(1)
名称: 头形弹簧夹
单位: 只
Designation: Headform spring clamp
Unit: Piece



HUA12590
名称: D10 钢碗形垫圈
Designation: D10 steel bowl gasket



17260203
名称: 3×18密封条(10米/卷)
单位: 卷
Designation: 3×18 sealing strip (10m/reel)
Unit: Piece



89451
名称: 固定柜三角锁芯门锁
单位: 只
Designation: Fixed column triangle insert door lock
Unit: Piece



89452
名称: 固定柜方形锁芯门锁
单位: 只
Designation: Fixed column square insert door lock
Unit: Piece



21286006B
名称: 方形卡螺母
Designation: Square card nuts



25278007
名称: H35 M8绝缘子
单位: 件
Designation: H35 M8 insulator
Unit: Piece



89455
名称: 抽屉柜三角锁芯门锁
单位: 只
Designation: Drawer column triangle insert door lock
Unit: Piece



89456
名称: 抽屉柜方形锁芯门锁
单位: 只
Designation: Drawer column square insert door lock
Unit: Piece

CBLOKSET Low Voltage Switchgear Accessories



89461
名称: 三角形钥匙
单位: 把
Designation: triangle key
Unit: Piece



89462
名称: 方形钥匙
单位: 把
Designation: Square key
Unit: Piece



51127027X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Brocke
Unit: Piece
Surface Preparation: zinc-plated



51127095X0
名称: 中铰链
单位: 件
表面处理: 镀白、镀彩
Designation: Midle hinge
Unit: Piece
Surface Preparation: zinc-plated



51127143X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Bracket
Unit: Piece
Surface Preparation: zinc-plated



51127212X0
名称: 连接件
单位: 件
表面处理: 镀白、镀彩
Designation: Connecting bracket
Unit: Piece
Surface Preparation: zinc-plated



51127223X0
名称: 母线固定支架
单位: 件
Designation: Barsupport
Unit: Piece



51127501X0
名称: 手柄
单位: 件
Designation: Handle
Unit: Piece

Establish a career with precision and win with quality



51127504X0
名称: 垂直母线支架绝缘管
单位: 只
Designation: Pipe
Unit: Piece



51127516X0
名称: 母线固定支架
单位: 件
Designation: Bar support
Unit: Piece



51127540X0
名称: 三极进线插头支撑板
单位: 块
Designation: 3Pupstream jows Support plate
Unit: Piece



51127544X0
名称: 副垂直母排支架
单位: 件
Designation: Auxiliary barsupport
Unit: Piece



51127546X0
名称: 固定圈
单位: 只
表面处理: 镀白、镀彩
Designation: Retainer ring
Unit: Piece
Surface Preparation: zinc-plated



51127558X0
名称: 抽屉凸轮导向轴销
单位: 只
表面处理: 镀白、镀彩
Designation: Drawer cam orienting axle pin
Unit: Piece
Surface Preparation: zinc-plated



51127567XA
名称: 二次插件
单位: 只
Designation: Auxiliaryplug-in
Unit: Piece



51127567XB
名称: 二次插件
单位: 只
Designation: Auxiliary plug-in
Unit: Piece

CBLOKSET Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



51127568XA
 名称：二次插针
 单位：只
 Designation: Auxiliary connector pin
 Unit: Piece



51127568XB
 名称：二次插针
 单位：只
 Designation: Auxiliary connector pin
 Unit: Piece



51127613X0
 名称：盖板支架
 单位：件
 表面处理：镀白、镀彩
 Designation: Gland cover bracket
 Unit: Piece
 Surface Preparation: Zinc-plated



51127613X0
 名称：抽屉导向销
 单位：只
 表面处理：镀白、镀彩
 Designation: Orienting pin for drawer
 Unit: Piece
 Surface Preparation: Zinc-plated



51127582X0
 名称：完整铰链(带销)
 单位：件
 表面处理：电泳(黑)、镀彩、镀白
 Designation: Complete hinge c/w pin
 Unit: Piece
 Surface Preparation: zinc-plated



51127584X0
 名称：铰链帽
 单位：只
 Designation: Hinged cap
 Unit: Piece



51127638X0
 名称：φ26圆形护套
 单位：件
 Designation: Bushing φ26
 Unit: Piece



51127667X0-B
 名称：上/下铰链(带销)
 单位：件
 表面处理：电泳(黑)、镀彩、镀白
 Designation: Upper / lower hinge c/w pin
 Unit: Piece
 Surface Preparation: zinc-plated



51127596X0
 名称：垂直母排支架
 单位：件
 Designation: bar support
 Unit: Piece



51127598X0
 名称：压板块
 单位：件
 表面处理：镀白、镀彩
 Designation: Pressing block
 Unit: Piece
 Surface Preparation: zinc-plated



51127667X0
 名称：MF 和 PCC 铰链(不带销)
 单位：件
 表面处理：电泳(黑)、镀彩、镀白
 Designation: MF and PCC hinge c/o pin
 Unit: Piece
 Surface Preparation: zinc-plated



51128685XA
 名称：垂直母线室分隔板
 单位：块
 Designation: Vertical bus compartment partition
 Unit: Piece



51127599X0
 名称：垫板
 单位：件
 表面处理：镀白、镀彩
 Designation: Bottom plate
 Unit: Piece
 Surface Preparation: zinc-plated



51127607X0
 名称：支架
 单位：件
 表面处理：镀白、镀彩
 Designation: Bracket
 Unit: Piece
 Surface Preparation: zinc-plated



51128686XA
 名称：垂直母线室上分隔板
 单位：块
 Designation: Vertical bus compartment Upper partition
 Unit: Piece



51128686XA
 名称：垂直母线室下分隔板
 单位：块
 Designation: Vertical bus compartment lower partition
 Unit: Piece

CBLOKSET Low Voltage Switchgear Accessories



51127694X0
 名称: 操作手柄
 单位: 件
 表面处理: 镀白、镀彩
 Designation: Operating handle
 Unit: Piece
 Surface Preparation: zinc-plated



51127695X0
 名称: 凸轮固定销轴
 单位: 只
 表面处理: 镀白、镀彩
 Designation: Cam fixing wrist
 Unit: Piece
 Surface Preparation: zinc-plated



51127698X0
 名称: 抽屉适配螺丝
 Designation: Drawer adapter screw



51127716X0
 名称: 凸轮铆接
 单位: 件
 表面处理: 镀白、镀彩
 Designation: Cam rivet
 Unit: Piece
 Surface Preparation: zinc-plated



51127529X0
 名称: 上/下铰链(不带销)
 单位: 件
 表面处理: 电泳(黑)、镀彩、镀白
 Designation: Upper/lower hinge c/o pin
 Unit: Piece
 Surface Preparation: zinc-plated



51127753XA
 名称: 6-10平方电缆插头
 Designation: 6-10 square cable plug



51127754XA
 名称: 10-25平方电缆插头
 Designation: 10-25 square cable plug



51127755XA
 名称: 50平方电缆插头
 Designation: 50 square cable plug

Establish a career with precision and win with quality



51127757X0
 名称: 插头弹簧夹
 单位: 只
 Designation: Contact spring clamp
 Unit: Piece



51127758X0
 名称: 抽屉制动件
 单位: 件
 表面处理: 镀白、镀彩
 Designation: Drawer brake
 Unit: Piece
 Surface Preparation: zinc-plated



51127792X0
 名称: 轴承
 Designation: Bearing



51127793X0
 名称: 辅助接点插头
 单位: 件
 Designation: Auxiliary contact plug
 Unit: Piece



51127795X0
 名称: 辅助接点插座
 单位: 件
 Designation: Auxiliary contact socket
 Unit: Piece



51127803X0
 名称: 抽屉滑块
 单位: 只
 表面处理: 镀白、镀彩
 Designation: Drawer slide block
 Unit: Piece
 Surface Preparation: zinc-plated



51127811X0
 名称: 固定出线插头支架
 单位: 件
 Designation: Fixed downstream jaws support
 Unit: Piece



51127812X0
 名称: 三极进线插头支架
 单位: 件
 Designation: 3P upstream jaws support
 Unit: Piece

CBLOKSET Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



51127872X0
名称: 商标底座
单位: 件
Designation: Trademarks base
Unit: Piece



51127872X0G
名称: 商标底座
单位: 件
Designation: Trademarks base
Unit: Piece



51130471XA
名称: 35平方电缆插头
Designation: 35 square cable plug
Unit: Piece



51130488X0
名称: 边框油漆保护板
单位: 件
表面处理: 镀白、镀彩
Designation: Edge paint protective plate
Unit: Piece
Surface Preparation: zinc-plated



51128890X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Bracket
Unit: Piece
Surface Preparation: zinc-plated



51127948X0
名称: 锁扣
单位: 件
表面处理: 镀白、镀彩
Designation: Lock catch
Unit: Piece
Surface Preparation: zinc-plated



51130526X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Bracket
Unit: Piece
Surface Preparation: zinc-plated



51130799X0
名称: 四极进线插头支架
单位: 件
Designation: 4P upstream jaws support
Unit: Piece



51127973X0
名称: NS80 伸缩杆
Designation: NS 80 telescopic rod
Unit: Piece



51127985X0
名称: 出线插头支撑板
单位: 块
Designation: Downstream jaws support plate
Unit: Piece




51131756X0
名称: 锁舌
单位: 件
表面处理: 镀白、镀彩
Designation: Dead bolt
Unit: Piece
Surface Preparation: Zinc-plated



51131206X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Bracket
Unit: Piece
Surface Preparation: zinc-plated



51128685XA
名称: 垂直母线室分隔板
Designation: Vertical busbar chamber partition plate
Unit: Piece



51128686XA
名称: 垂直母线室分隔板
Designation: Vertical busbar chamber partition plate
Unit: Piece



51132530X0
名称: 锁扣
单位: 件
表面处理: 镀白、镀彩
Designation: Lock catch
Unit: Piece
Surface Preparation: zinc-plated



51131755X0
名称: 支架
单位: 件
表面处理: 镀白、镀彩
Designation: Bracket
Unit: Piece
Surface Preparation: zinc-plated

CBLOKSET Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



51130802X0
名称：四极进线插头支撑板
单位：块
Designation: 4Pupstream jaws support plate
Unit: Piece



51131806X0
名称：移动出线插头支架
单位：件
Designation: Moving downstream jaws support
Unit: Piece



32688
名称：NS400-630A 操作机构及手柄
单位：套
Designation: Extended standard rotary handle for NS400-630A
Unit: set



LV429338
名称：NS80A操作机构及手柄
单位：套
Designation: Extended standard rotary handle for NS80A
Unit: Set



51132455X0
名称：垫片
单位：件
表面处理：镀白、镀彩
Designation: Spacer
Unit: Piece
Surface Preparation: zinc-plated



ZQH1004202
名称：完整铰链C
单位：件
Designation: Complete hinge C
Unit: Piece



LV432598
名称：NS400-630A 操作机构及手柄
单位：套
Designation: Extended standard rotary handle for NS400-630A
Unit: Set



JG-1(74)
名称：NSX400-630A 操作机构
单位：套
Designation: Operating mechanism NSX400-630A
Unit: Set



ZQH1004302
名称：上下铰链C
单位：只
Designation: Upperlower hinge C
Unit: Piece



GH100439X0
名称：母线固定架
单位：件
表面处理：镀白、镀彩
Designation: Bar anchoring bracket
Unit: Piece
Surface Preparation: zinc-plated



JG-1(75)
名称：NSX100-250A 操作机构
单位：套
Designation: Operating mechanism NSX100-250A
Unit: Set



JG-1(714)
名称：操作轴部件
单位：件
Designation: Operating spindle part
Unit: Set



GH100642
名称：铰链帽
单位：件
Designation: Hinge cap
Unit: Piece



29338
名称：NS100-250A 操作机构及手柄
单位：套
Designation: Extended standard rotary handle for NS100-250A
Unit: set



JG-1(715)
名称：伸缩轴部件
单位：件
Designation: Extended spindle part
Unit: Set

Establish a career with precision and win with quality



COKKEN Low Voltage Switchgear Accessories

COKKEN 是一种模块化结构的低压配电柜，用于工业、第三产业及基础设施等领域中大型场所的动力配电及电动机控制。其固有的特性确保了高级别的可靠性、对应用需求的完全适应性以及高度的可升级性。人性化的设计简化了配电柜的现场安装操作和维护。创新的专利设计方案满足了对苛刻工期及供电边缘性的要求：可在现场修改，并在带电情况下重新配置。

单一结构的骨架和母线系统可以保证无论是前接线还是后接线，均有最适于工作的条件。根据不同的用电设备所要求达到的运行维护水平 (S), 多种类型馈电单元能够装在同一列柜中或同一台柜内。如馈电回路同电动机控制回路也能混装在一起。COKKEN 是一种符合国际习惯的配电柜，可以满足大多数用户当地的习惯。对每一种应用 COKKEN 均能为您提供正确的解决方案由于客户的需求多种多样，Okken 能使每个客户按照其所期望达到的运行，维护，升级的水平，选择最适合自己的方案。

用户化：采用 Okken 配电柜，可以满足您的需要。馈电回路可以提供固定式，插入式及抽出式多种型式。

一体化：采用 Okke 门配电柜，配电回路同电动机控制回路可以在同一柜中混装。

简单化：采用 Okken 配电柜，快速，方便始终贯穿于配电柜的设计、生产、安装、运行、维护和升级过程中。

最优化：采用 Okken 配电柜，可以节省您的投资：精确设计的方案，保证准确地满足用户的需要优化的配电柜数量及所需面积

COKKEN is a modular low-voltage distribution cabinet used for power distribution and motor control in large locations in industrial, tertiary, and infrastructure fields. Its inherent characteristics ensure high-level reliability, complete adaptability to application requirements, and high scalability. The humanized design simplifies the on-site installation, operation, and maintenance of the distribution cabinet. The innovative patented design solution meets the requirements for demanding construction periods and power supply continuity: it can be modified on-site and reconfigured under live conditions.

A single structured skeleton and busbar system can ensure that both front and rear connections are under the most suitable working conditions. According to the required level of operation and maintenance (is) for different electrical equipment, multiple types of feeding units can be installed in the same cabinet or in the same cabinet. The feeding circuit and motor control circuit can also be mixed together. COKKEN is a distribution cabinet that conforms to international customs and can meet the local habits of most users. For every application, COKKEN can provide you with the correct solution. Due to the diverse needs of customers, Okken can enable each customer to choose the most suitable solution according to their expected level of operation, maintenance, and upgrading.

Customization: Using Okken distribution cabinets can meet your needs. The feeding circuit can be provided in various types, including fixed, plug-in, and with drawable

Integration: Using Okke door distribution cabinet, the distribution circuit and motor control circuit can be mixed in the same cabinet.

Simplification: Using Okken distribution cabinets, it is fast and convenient throughout the design, production, installation, operation, maintenance, and upgrade process of the distribution cabinets

Optimization: By using Okken distribution cabinets, you can save your investment. Precisely designed solutions ensure accurate distribution to meet user needs Number of cabinets and required area.



01215

名称：导线护套
包装规格：5件/包
单位：包

Designation: Rectangular grommet
Packing: 5Pcs/Bag
Unit: Bag



87046

名称：顶板密封条
包装规格：50m/包
单位：包

Designation: IP31 roof joint(50m)
Packing: 50m/Bag
Unit: Bag



87140(H=2350)

名称：2H175 侧面装饰条
包装规格：2根/包
单位：包

Designation: End section for 2 corners
2H175
Packing: 2 Pcs/Bag
Unit: Bag



87141(H=2200)

名称：2 H100 侧面装饰条
包装规格：2根/包
单位：包

Designation: End section for 2 Corners
2HN00
Packing: 2 Pcs/Bag
Unit: Bag



87142

名称：固定铰链
包装规格：50件/包
单位：包

Designation: Fixed hinge with pin
Packing: 50Pcs/Bag
Unit: Bag



87143

名称：顶部封板固定支架
包装规格：200件/包
单位：包

Designation: Panels and top grids support
Packing: 200Pcs/Bag
Unit: Bag



87145+87151

名称：门销+8mm 四方锁芯
包装规格：20件/包
单位：包

Designation: Insert support with stop+
8mm Square lock core
Packing: 20Pcs/Bag
Unit: Bag



87145+87156

名称：门销+5mm 双层锁芯
包装规格：20件/包
单位：包

Designation: Insert support with stop+
5mm Square lock core
Packing: 20Pcs / Bag
Unit: Bag

COKKEN Low Voltage Switchgear Accessories



87146
名称: 门手柄
包装规格: 20件/包
单位: 包

Designation: Markable handle
Packing: 20Pcs/Bag
Unit: Bag



87150
名称: 门挡
包装规格: 200件/包
单位: 包

Designation: Door stop
Packing: 200Pcs/Bag
Unit: Bag



87151
名称: 8mm 方形锁芯
包装规格: 10件/包
单位: 包

Designation: 8mm square lockcore
Packing: 10Pcs/Bag
Unit: Bag



87171
名称: 柜间连接附件
包装规格: 20件/包
单位: 包

Designation: Cross-membercoupling kit
Packing: 20 Pcs/Bag
Unit: Bag



87181
名称: M6 圆形卡螺母
包装规格: 2000件/包
单位: 包

Designation: M6 round captive nut
Packing: 2000Pcs/Bag
Unit: Bag



87182
名称: M6×13 自攻锁紧螺钉
包装规格: 1000件/包
单位: 包

Designation: Self threading screw M6×13
Packing: 1000Pcs/Bag
Unit: Bag



87183
名称: M5×20 自攻螺钉
包装规格: 500件/包
单位: 包

Designation: Selfthreading screw M5×20
Packing: 500Pcs/Bag
Unit: Bag



87185
名称: M10 方形卡螺母
包装规格: 200件/包
单位: 包

Designation: M10 square capfive nutt
Packing: 200Pcs/Bag
Unit: Bag

Establish a career with precision and win with quality



87188
名称: 防旋转垫片
包装规格: 100件/包
单位: 包

Designation: Anti-rotation bracket
Packing: 100Pcs/Bog
Unit: Bag



87189
名称: 11/38平垫片
包装规格: 100件/包
单位: 包

Designation: Fatwasher φ11/38
Packing: 100Pcs/Bog
Unit: Bag



87190
名称: 8mm 方形锁芯钥匙
包装规格: 1件/包
单位: 包

Designation: Key for 8mm male square inser
Packing: 1Pc/ag
Unit: Bag



87195
名称: 5mm 双层锁芯钥匙
包装规格: 1件/包

Designation: 5mm double cylinder key
Packing: 1Pc/ag



87196
名称: M4×8 自攻锁紧螺钉
包装规格: 1000件/包
单位: 包

Designation: Selfthreading screw M4×8
Packing: 1000Pcs/Bag
Unit: Bag



87238
名称: 80mm 宽铜排用螺栓
包装规格: 25件/包
备注: 螺栓 M6×160, 绝缘管D20×80

Designation: 80mm wide copper boll
Packing: 25Pcs/Bag
Remark: Bolt M6×160,the insulating tube D20×80



87239
名称: 100mm 母线支撑绝缘管及不锈钢螺栓
包装规格: 25件/包
备注: 螺栓M6×175, 绝缘管 D20×100

Designation: Busbarsupport 100mm insulated pipes and stainless steel bolts
Packing: 25Pcs/Bag
Remark Bolt M6×175,theinsulafing tube D20×100



87240
名称: 120mm 母线支撑绝缘管及不锈钢螺栓
包装规格: 25件/包
备注: 螺栓M6×195, 绝缘管 D20×120

Designation: Busbar support 120mm insulated pipes and stainless steel bolts
Packing: 25Pcs/Bag
Remark: Bolt M6 ×195,the insulating tube D20×120

COKKEN Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



87259
名称: 螺栓(2-3片/相)
包装规格: 12件/包
单位: 包

Designation: Bolt for fishplates 2-3 bars/phase
Packing: 12 Pcs/Bag
Unit: Bag



87260
名称: low 50KA水平母线支架
包装规格: 1件/包
单位: 包

Designation: Horizontal busbar support low 50kA
Packing: 1Pc/Bag
Unit: Bag



87270
名称: 垂直母线40/50支架(BB70)
包装规格: 7件/包
单位: 包

Designation: Barsupport 40/50-BB70
Packing: 7Pcs/Bag
Unit: Bag



87271
名称: 垂直母线80/100支架(BB70)
包装规格: 6件/包
单位: 包

Designation: Bar support 80/100-BB70
Packing: 6Pcs/Bag
Unit: Bag



87261
名称: low 100KA 水平母线支架
包装规格: 1件/包
单位: 包

Designation: Horizontal busbar SUP low 100kA
Packing: 1Pc/Bag
Unit: Bag



87264
名称: 螺栓(4-6片/相)
包装规格: 12件/包
单位: 包

Designation: Bolt for fishplates 4-6 bars/phase
Packing: 12Pcs/Bag
Unit: Bag



87272
名称: 垂直母线底座(BB70)
包装规格: 4件/包
单位: 包

Designation: Bottom support-BB70
Packing: 4Pcs/Bag
Unit: Bag



87275
名称: IP20 BB70母线前隔栅
包装规格: 12件/包
单位: 包

Designation: IP20 grid-BB70
Packing: 12 Pcs/Bag
Unit: Bag



87265
名称: 630A 3P出线排支撑夹子
包装规格: 3件/包
单位: 包

Designation: Connection support 630A 3P
Packing: 3Pcs/Bag
Unit: Bag



87265.1
名称: 700A 3P出线排支撑夹子
包装规格: 3件/包
开孔尺寸: 29.2×61.2
孔距: 40×56中心在原中心上移6.25

Designation: Connection support 700A 3P
Packing: 3Pcs/Bag
Hole size: 29.2×61.2
Pitch: 40×56 centered on the original center shift 6.25



87277
名称: 出线支架(DBA115)
包装规格: 2件/包
单位: 包

Designation: SUPforbars DBA115
Packing: 2 Pcs/Bag
Unit: Bag



87289
名称: 垂直母线顶部支撑
包装规格: 4件/包
单位: 包

Designation: Vertical top bus support
Packing: 4Pcs/Bag
Unit: Bag



87266
名称: 630A 4P出线排支撑夹子
包装规格: 4件/包
单位: 包

Designation: Connection support 630A 4P
Packing: 4Pcs/Bag
Unit: Bag



87266.1
名称: 700A 4P出线排支撑夹子
包装规格: 4件/包
开孔尺寸: 29.2×61.2
孔距: 40×56中心在原中心上移6.25

Designation: Connection support 700A 4P
Packing: 4Pcs/Bag
Hole size: 29.2×61.2
Pitch: 40×56 centered on the original center shift 6.25



87312
名称: 1相NW1600A 进出线端子
包装规格: 1件/包
备注: 不包含铜件
单位: 包

Designation: Upstream and downstream connectors IP NW1600A
Packing: 1Pc/Bag
Remark: Without copper parts
Unit: Bag



87313
名称: 1相NW3200A 进出线端子
包装规格: 1件/包
备注: 不包含铜件
单位: 包

Designation: Upstream and downstream connectors IP NM 3200A
Packing: 1Pc/Bag
Remark: Without copper parts
Unit: Bag

COKKEN Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



87325
名称: 母排支架(DBA70)
包装规格: 2件/包
单位: 包
Designation: Support for bars-BB70
Packing: 2Pcs/Bag
Unit: Bag



87342
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=160/绝缘管L2=100/OD=φ16
Designation: Screws for 5 bars supports
100×10-BB70
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws)L1=160/(insulating tube) L2=100/OD=φ16



87343
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=140/绝缘管L2=80/OD=φ16
Designation: Screws for 5 bars support 80×10-BB70
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws)L1=140/(insulating tube)L2=80/OD=φ16



87344
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=100/绝缘管L2=50/OD=φ16
Designation: Screws for 5 bars support 50×10-BB70
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws)L1=100/(insulating tube)L2=50/OD=φ16



87356
名称: Polyfast NS2503P
插入式或抽出式
单位: 套
Designation: INS2503P device
Polyfast plug-in and drawer
Unit: Bag




87358
名称: Polyfast NS6303P
插入式或抽出式
单位: 套
Designation: NS6303P device Polyfast
plug-in and drawer
Unit: Bag



87364
名称: 3P 250A进线插头
包装规格: 3件/包
单位: 包
Designation: upstream jaws3P 250A
Packing: 3Pcs/Bag
Unit: Bag



87365
名称: 4P 250A进线插头
包装规格: 4件/包
单位: 包
Designation: upstream jaws 4P250A
Packing: 4Pcs/Bag
Unit: Bag



87366
名称: 3P 630A进线插头
包装规格: 3件/包
单位: 包
Designation: Upstream jaws 3P630A
Packing: 3Pcs/Bag
Unit: Bag



87367
名称: 4P 630A进线插头
包装规格: 4件/包
单位: 包
Designation: Upstream jaws 3P630A
Packing: 4Pcs/Bag
Unit: Bog



87368
名称: 3P250A 出线插头
包装规格: 3件/包
单位: 包
Designation: Downstream jaws 3P 250A
Packing: 3Pcs/Bag
Unit: Bag



87369
名称: 4P 250A出线插头
包装规格: 4件/包
单位: 包
Designation: Downstream jaws 4P 250A
Packing: 4Pcs/Bag
Unit: Bag



87370
名称: 3P630A 出线插头
包装规格: 3件/包
单位: 包
Designation: downstreamjaws 3P 630A
Packing: 3Pcs/Bag
Unit: Bag



87371
名称: 4P 630A出线插头
包装规格: 4件/包
单位: 包
Designation: downstream jaws 4P 630A
Packing: 4Pcs/Bag
Unit: Bag



87364.1
名称: 3P300A 进线插头
包装规格: 3件/包
开孔尺寸: 46.5X40
开孔中心在原来的中心上移6.25
Designation: Upstream jaws 3P300A
Packing: 3Pcs/Bag
Hole Size: 46.5X40
Opening the center in the center of the original shift.



87365.1
名称: 4P 300A进线插头
包装规格: 4件/包
开孔尺寸: 46.5X40
开孔中心在原来的中心上移6.25
Designation: upstream jaws 4P 300A
Packing: 4Pcs/Bag
Hole Size: 46.5X40
Opening the center in the center of the original shift 6.25

COKKEN Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



87366.1
 名称: 3P 700A 进线插头
 包装规格: 3件/包
 开孔尺寸: 46.5X66
 开孔中心在原来的中心上移6.25
 Designation: upstreamjaws 3P 700A
 Packing: 3Pcs/Bag
 Hole Size: 46.5X66
 Opening the center in the center of the original shift6.25



87367.1
 名称: 4P 700A进线插头
 包装规格: 4件/包
 开孔尺寸: 46.5X66
 开孔中心在原来的中心上移6.25
 Designation: upstream jaws 4P 700A
 Packing: 4Pcs/Bag
 Hole Size: 46.5X66
 Opening the center in the center of the original shift 6.25



87368.1
 名称: 3P 300A出线插头
 包装规格: 3件/包
 开孔尺寸: 46.5X40
 开孔中心在原来的中心上移6.25
 Designation:Downstream jaws 3P300A
 Packing: 3Pcs/Bag
 Hole Size: 46.5X40
 Opening the centerinthe centerof the original shiff 6.25



87369.1
 名称: 4P 300A进线插头
 包装规格: 4件/包
 开孔尺寸: 46.5X40
 开孔中心在原来的中心上移6.25
 Designation: upstream jaws 4P 300A
 Packing: 4Pcs/Bag
 Hole Size: 46.5X40
 Opening the center in the center of the original shit 6.25



87370.1
 名称: 3P 700A出线插头
 包装规格: 3件/包
 开孔尺寸: 46.5X66
 开孔中心在原来的中心上移6.25
 Designation: Downstream jaws 3P 700A
 Packing: 3Pcs/Bag
 Hole Size: 46.5X40
 Opening the center in the center of the original shift6.25



87371.1
 名称: 4P 700A出线插头
 包装规格: 4件/包
 开孔尺寸: 46.5X66
 开孔中心在原来的中心上移6.25
 Designation: Downstream jaws 3P 700A
 Packing: 3Pcs/Bag
 Hole Size: 46.5X40
 Opening the center in the center of the original shiff 6.25



87372
 名称: 250A 3P出线排支撑夹子
 包装规格: 3件/包
 Designation: Connection support 250 A3P
 Packing:3Pcs/Bag



87372.1
 名称: 300A 3P出线排支撑夹子
 包装规格: 3件/包
 开孔尺寸: 29.2X61.2
 孔距: 40X56,中心在原中心上移6.25
 Designation: Connection support 300 A3P
 Packing: 3Pcs/Bag
 Hole Size: 29.2X61.2
 Piich: 40X56,centered on the original center shift 6.25



87373
 名称: 250A 4P出线排支撑夹子
 包装规格: 3件/包
 Designation: Connection support 250 A4P
 Packing: 3Pcs/Bag



87373.1
 名称: 300A 4P出线排支撑夹子
 包装规格: 3件/包
 开孔尺寸: 29.2X61.2
 孔距: 40X56,中心在原中心上移6.25
 Designation: Connection support 300 A4P
 Packing: 3Pcs/Bag
 HoleSize: 29.2X61.2
 Pitch: 40X56,centered on the original center shiff 6.25



87384
 名称: 抽屉位置机械机构
 包装规格: 1件/包
 单位: 包
 Designation: Drawer posifion mechanis
 Packing: 1Set/Bag
 Unit: Bag



87384G
 名称: 抽屉位置机械机构(全金属)
 包装规格: 1件/包
 单位: 包
 Designation: Drawer posiion mechanism (all metal)
 Packing: 1Set/Bag
 Unit: Bag



87387
 名称: 3P250A MCC用 Polyfast
 包装规格: 1件/包
 Designation: 3P 250A MCC with Polyfast
 Packing: 1Set/Bag



87389
 名称: 3P630A MCC用 Polyfast
 包装规格: 1件/包
 Designation: 3P 630A MCC with Polyfast
 Packing: 1Set/Bag



87395
 名称: 200mm 母线支撑绝缘管及不锈钢螺栓
 包装规格: 25件/包
 备注: 螺栓M6×260, 绝缘管D20×200
 Designation: Busbar support 200mm insulated pipes and stainless steel Steel bolts
 Packing: 25Pcs/Bag
 Remark: Bol M6×260,he insulating tube D20×200



87396
 名称: 120mm 母线支撑绝缘管及不锈钢螺栓
 包装规格: 25件/包
 备注: 螺栓M6×180, 绝缘管D20×120
 Designation: Busbar support 120mm insulated pipes and stainless ctoel Steel bolts
 Pocking: 25Pcs/Bog
 Remark: Bolt M6×180,the insulating tube D20x 120

COKKEN Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



87397
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=160/绝缘管L2=100/OD=φ20
Designation: Screws for 5 bars supports for 100 × 10 superimposed bars-BB115
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws) L1=160/(insulating tube) L2=100/OD=φ20



87398
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=140/绝缘管L2=80/OD=φ20
Designation: Screws for 5 bars supports for 80 × 10 superimposed bars-BB115
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws) L1=140/(insulating tube) L2=80/OD=φ20



87399
名称: 螺栓
包装规格: 25件/包
单位: 包
备注: 螺栓L1=110/绝缘管L2=50/OD=φ20
Designation: Screws for 5 bars support for 50 × 10 superimposed bars-BB115
Packing: 25Pcs/Bag
Unit: Bag
Remark: (screws) L1=110/(insulating tube) L2=50/OD=φ20



87400
名称: 抽屉手柄及其操作机构
包装规格: 2手柄1机构/包
单位: 包
Designation: Drawer handles + releasi push-button
Packing: 2handles + lunlocking knob/Bag
Unit: Bag



87410
名称: 抽屉前面板铰链≥12M
包装规格: 5套/包
单位: 包
Designation: Front facehinge for drawers≥12M
Packing: 5PCs/Bag
Unit: Bag



87410(1)
名称: 抽屉前面板铰链≥12M
包装规格: 10件/包
单位: 包
Designation: Front face hlngefor drawers≥12M
Packing: 10Pcs/Bag
Unit: Bag



87410(2)
名称: M5×12自攻螺钉
包装规格: 20件/包
单位: 包
Designation: Selfhreading screw M5×12
Packing: 20Pcs/Bag
Unit: Bag



87410(3)
名称: 尼龙条导轨
包装规格: 5件/包
单位: 包
Designation: Nylon guide rail
Packing: 5Pcs/Bag
Unit: Bag



87410(4)
名称: 4×37抽屉前面板铰链≥12M附件
包装规格: 5件/包
单位: 包
Designation: 4×37 drawer front panel hinge≥12M Accessories
Packing: 5Pcs/Bag
Unit: Bag



87410(5)
名称: 4×37插销
包装规格: 5件/包
单位: 包
Designation: 4×37 bolt
Packing: 5Pcs/Bag
Unit: Bag



87412
名称: 抽屉误插联锁
包装规格: 50件/包
单位: 包
表面处理: 镀白、镀彩
Designation: Drawer mismatching accessories
Packing: 50Pcs/Bag
Unit: Bag
Surface Preparatation: zinc-plated color zinc-plated



87428
名称: NS250 Poiyfast附件
包装规格: 1套/包
单位: 包
Designation: NS 250 Poiyfast Accessories
Packing: 1Set/Bag
Unit: Bag



87429
名称: NS 630 Polyfast 附件
单位: 包
Designation: NS 630 Polyfast Accessories
Unit: Bag



87430
名称: 抽屉固定部分附件
包装规格: 1套/包
单位: 包
Designation: Drawer fixed part accessories
Packing: 1Set/Bag
Unit: Bag



87431
名称: 抽屉移动部分附件
包装规格: 1套/包
单位: 包
Designation: Drawer moving part accessories
Packing: 1 Set/Bag
Unit: Bag



87431(1)
名称: 滚花插销
包装规格: 2件/包
单位: 包
Designation: Knurled bolt bar
Packing: 2Pcs/Bag
Unit: Bag

COKKEN Low Voltage Switchgear Accessories



87431(2)

名称: 铜螺母
包装规格: 4件/包
单位: 包

Designation: Hexagon nut
Packing: 4 Pcs/Bag
Unit: Bag



87431(3)

名称: 导轨
包装规格: 1件/包
单位: 包

Designation: Guide rail
Packing: 1Pc/Bag
Unit: Bag



87431(4)

名称: 位置垫片
包装规格: 1件/包
单位: 包

Designation: Position spacer
Packing: 1Pc/Bag
Unit: Bag



87431(5)

名称: 门垫片
包装规格: 1件/包
单位: 包

Designation: Door spacer
Packing: 1Pc/Bag
Unit: Bag



87431(6)

名称: 滚轮
包装规格: 4件/包
单位: 包


Designation: Roller
Packing: 4 Pcs/Bag
Unit: Bag



87431(7)

名称: 卡簧
包装规格: 2件/包
单位: 包

Designation: Circlip
Packing: 2Pcs/Bag
Unit: Bag



87445

名称: 4x40A 3P 抽屉转接模块
包装规格: 1套/包
单位: 包

Designation: 4x40A 3P Drawer adapter module
Packing: 1Pc/Bag
Unit: Bag



87452

名称: 二次端子固定底座
包装规格: 24件/包
单位: 包
备注: D87374为8件/包

Designation: Fixed part for 6-points auxiliary blocks
Packing: 24Pcs/Bag
Unit: Bag
Remark: D87374 8Pcs/Bag

Establish a career with precision and win with quality



87453

名称: 二次端子移动部分
包装规格: 24件/包
单位: 包
备注: D87474为8件/包

Designation: Moving part for 6-points auxiliary blocks
Packing: 24Pcs/Bag
Unit: Bag
Remark: D87474 8Pcs/Bag



87454

名称: 抽屉跳闸微动开关
单位: 包

Designation: Drawer micro switch
Unit: Bag



87500

名称: 6M 1/2抽屉手柄及其操作机构
包装规格: 2手柄1机构/包
单位: 包

Designation: 2 handles +unlocking knob for 1/2 width drawer 6M
Packing: 2handles+unlocking knob/Bag
Unit: B0g



87502

名称: 3M 1/2 抽屉手柄及操作机构
包装规格: 2手柄1机构/包
单位: 包

Designation: 2 handles +unlocking knob for 1/2 width drawer 3M
Packing: 2handles+unlocking knob/Bag
Unit: Bag



87504

名称: 1/2抽屉移动部分附件
单位: 包

Designation: Moving slide 1/2 drawer addition kit
Unit: Bag



87512

名称: 1/2抽屉移动部分40A3P 接线插头 包装规格: 3件/包
单位: 包

Designation: 40A3P connector for 1/2 width drawer moving part
Packing: 3 Pcs/Bag
Unit: Bag



87512-1

名称: 40A 3P接线插头固定部分
包装规格: 3件/包
单位: 包

Designation: 40A 3Pconnector fixed part
Packing: 3Pcs/Bag
Unit: Bag



87546

名称: IP54用于3M前面板防护套件
单位: 套

Designation: P54 3M door kit
Packing: 1Set/Bag
Unit: Bag

COKKEN Low Voltage Switchgear Accessories



87547
名称: IP54用于6M前面板
防护套件
单位: 套

Designation: P546M door kif
Unit: Bag



87548
名称: IP54用于12 M前面板
防护套件
单位: 套

Designation: IP54door kit 12M
Unit: Bag



87549
名称: IP54用于12-24M
前面板防护套件
单位: 套

Designation: IP54 door kit 12M to
24M Unit: Bag



87598
名称: 3P 250A 进线插头70-1
包装规格: 3件/包
单位: 包

Designation: Upstream jaws & connecting
pods 3P 250A
Packing: 3Pcs/Bag
Unit: Bag



87600
名称: 3P630A 进线插头70-1
包装规格: 3件/包
单位: 包

Designation: Upstream jaws
& connecting pads 3P
630A
Packing: 3Pcs/Bag
Unit: Bag



87630
名称: 4M GV2/3 抽屉机械联锁
包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for 4M
GV2/3 drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickel



87643
名称: H35 M10绝缘子
包装规格: 20件/包
单位: 包

Designation: Insulator H35 M10
Packing: 20Pcs/Bag
Unit: Bag



87648
名称: φ22圆形护套
包装规格: 50件/包
单位: 包

Designation: Bushing φ22
Packing: 50Pcs/Bag
Unit: Bag

Establish a career with precision and win with quality



87653
名称: 防水垫片
包装规格: 100件/包
单位: 包

Designation: Waterproof washer
Packing: 100Pcs/Bag
Unit: Bag



87655
名称: M6 方形卡螺母
包装规格: 1000件/包
单位: 包

Designation: M6 square cage nut for
steel 1.5mm thickness
Packing: 1000Pcs/Bag
Unit: Bag



87782
名称: 1/2W 6M GV2/3抽屉机械联锁 包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for GV2
1/2M 6M width drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: Zinc-plated nickeled



87784
名称: 1/2W 6M NS80 抽屉机械联锁
包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for 1/2W
6M NS80 drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickel



87787
名称: 6M GV2 抽屉机械联锁
包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for 6M GV2
drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: Zinc-plated nickeled



87788
名称: NS2503P-NS80 抽屉机械联锁
包装规格: 1件/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for NS250
3P-NS80 drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: zinc-plated、nickel




87789
名称: NS2504P-6303P 抽屉机械联锁
包装规格: 1套/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for NS250
4P-6303P drawer
Packing: 1Set/Bag
Unit: Bag
Surface Preparation: Zinc-plated nickeled



87791
名称: NS630A 4P抽屉机械联锁
包装规格: 1件/包
单位: 包
表面处理: 镀白、镀镍

Designation: Mechanical lock for NS630A
4P drawer
Packing: 1Set/Bag
Unit: bag
Surface Preparation: zinc-plated nickeled



SIVACON 8PT Low Voltage Withdrawable Switchgear Accessories

SIVACON 8PT低压开关柜是建筑和工业领域中标准的解决方案。针对全球市场的不同要求，既考虑了总承包工程中标准化的各项要求，又兼顾到本地化给投资和生产运行带来的效益。SIVACON 8PT是面向世界各地推广的配电设备，它可应用在最大额定电流至7400A的各种容量等级的层面上，采用了固定式、可移式和抽出式等不同的模块设计。每台SIVACON 8PT配电设备完全采用标准化和模块化的模块构成。所有模块均完全符合西门子设计指标。各种模块可灵活组合，以满足各种不同的要求。柜内采用优质的西门子元器件，以保证设备可靠的长期运行。

The SIVACON 8PT low-voltage switchgear is a standard solution in the construction and industrial fields. Considering the different requirements of the global market, we have taken into account both the standardization requirements in general contracting projects and the benefits that localization brings to investment and production operations. SIVACON 8PT is a distribution equipment promoted worldwide, which can be applied at various capacity levels with a maximum rated current of 7400A. It adopts different module designs such as fixed, movable, and withdrawable. Each SIVACON 8PT distribution equipment is completely composed of standardized and modular modules. All modules fully comply with Siemens design specifications. Various modules can be flexibly combined to meet various requirements. High quality Siemens components are used inside the cabinet to ensure reliable long-term operation of the equipment.

1023793

名称: D6 钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D6 steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated
color zinc-plated

1023797

名称: D8 钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D8 steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated
color zinc-plated

1023790

名称: D10 钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D10 steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated color
zinc-plated

1023804

名称: D12 钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D12 steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated
color zinc-plated

21372115

名称: ST4.2×13自攻螺钉
包装规格: 500件/包
单位: 包



Designation: Selfdrilling screw ST4.2×13
Packing: 500Pcs/Bag
Unit: Bag

21235009

名称: D6 带爪钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D6 claw steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated
color zinc-plated

21235009b

名称: D8 带爪钢碗形垫圈
包装规格: 1000件/包
单位: 包
表面处理: 镀白、镀彩



Designation: D8 claw steel cup washer
Packing: 1000Pcs/Bag
Unit: Bag
Surface Preparation: zinc-plated color
zinc-plated

AAV4169102

名称: 导轨
包装规格: 1件/包
单位: 包




Designation: Guide rail
Packing: 1Pcs/Bag

Unit: Bag

8PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality

 8PT100CT 名称：1单元抽屉 单位：只 Designation: Uint 1 drawer Unit: Set	 8PT150CT 名称：1.5单元抽屉 单位：只 Designation: Uint 1.5 drawer Unit: Set
 8PT200CT 名称：2单元抽屉 单位：只 Designation: Uint 2 drawer Unit: Set	 8PT300CT 名称：3单元抽屉 单位：只 Designation: Uint 3 drawer Unit: Set
 8PT400CT 名称：4单元抽屉 单位：只 Designation: Uint 4 drawer Unit: Set	 8PT500CT 名称：5单元抽屉 单位：只 Designation: Uint 5 drawer Unit: Set
 8PT8123(03) 名称：1.5单元左侧板 单位：只 Designation: Sidewall lef 150 Unit: Piece	 8PT8122(05) 名称：1.5单元右侧板 单位：只 Designation: Sidewall right 150 Unit: Piece

 8PT5638(06) 名称：2单元左侧板 单位：只 Designation: Sidewall leff 200 Unit: Piece	 8PT5637(08) 名称：2单元右侧板 单位：只 Designation: Sidewall right 200 Unit: Piece
 8PT5398(05) 名称：3单元左侧板 单位：只 Designation:sidewan leff 300 Unit:Piece	 8PT5399(07) 名称：3单元右侧板 单位：只 Designation:sideWa right 300 Unit:Piece
 8PT5700(05) 名称：4单元左侧板 单位：只 Designation: sidewall leff 400 Unit: Piece	 8PT5699(08) 名称：4单元右侧板 单位：只 Designation: sidewa right 400 Unit: Piece
 8PT5798(04) 名称：5单元左侧板 单位：只 Designation: sidewau leff 500 Unit: Piece	 8PT5797(06) 名称：5单元右侧板 单位：只 Designation: sidewall right 500 Unit: Piece

8PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality

 8PT20564(02) 名称: 抽屉底板 单位: 件 Designation: Case Unit: Piece	 8PT7806(05) 名称: 透明底板 单位: 件 Designation: Case cover Unit: Piece
 8PT2718(05) 名称: 抽屉后壁上档板 单位: 件 Designation: Bracket Unit: Piece	 8PT20568(03) 名称: 机构联锁板 单位: 件 Designation: Guide Unit: Piece
 8PT2625 名称: 进线功能板 单位: 件 Designation: Canal cover Unit: Piece	 8PT2630 名称: 进线触头盒 单位: 件 Designation: Input contact case Unit: Piece
 8PT2631 名称: 出线触头盒 单位: 件 Designation: Outputcontact case Unit: Piece	 8PT4073 名称: 小电流出线触头盒 单位: 件 Designation: Adapter case Unit: Piece

 8PT4768 名称: 出线功能板 单位: 件 Designation: Cover feederbar Unit: Piece	 8PT6150 名称: 手柄 单位: 件 Designation: Crank Unit: Piece
 8PT12578 名称: 前转套 单位: 只 Designation: Guiding part(front) Unit: Piece	 8PT12579 名称: 后转套 单位: 只 Designation: Guiding part(rear) Unit: Piece
 8PT12580 名称: 导向套 单位: 只 Designation: Innenteil Unit: Piece	 8PT7857 名称: 压簧 单位: 只 Designation: Spring Unit: Piece
 8PT12581 名称: 指示牌 单位: 只 Designation: Indicato Unit: Piece	 8PT12660 名称: 标签 单位: 只 DesignatiOn: Posifion label Unit: Piece

8PT Low Voltage Switchgear Accessories



8PT7868
名称: 二次插件动插头
单位: 套

Designation: Control contact plug plug assembly
Unit: Set



8PT7869
名称: 二次插件静插座
单位: 套

Designation: Control contact plug plug assembly
Unit: Set



8PT20429
名称: 二次插针(01.5mm²)
单位: 只

Designation: Control contact pin 1.5mm²
Unit: Piece



8PT20430
名称: 二次插针(1.5mm²)
单位: 只

Designation: Control contact pin 1.5mm²
Unit: Piece



8PT17897
名称: 二次插针(01.5mm²)
单位: 只

Designation: Control contact pin 1.5mm²
Unit: Piece



8PT17902
名称: 二次插针(01.5mm²)
单位: 只

Designation: Control contact pin 1.5mm²
Unit: Piece



8PT2597
名称: 触头
单位: 只

Designation: Contact with spring
Unit: Piece



8PT2641
名称: 连接排
单位: 只

Designation: Connecting bracket
Unit: Piece

Establish a career with precision and win with quality



8PT2642
名称: 垫块
单位: 只

Designation: Spacer
Unit: Piece



8PT4074
名称: 出线铜块
单位: 只

Designation: Output copper block
Unit: Piece



8PT22570
名称: N-L2相铜排
单位: 根

Designation: N-L2 connection bar
Unit: Piece



8PT22571
名称: L1-L3相铜排
单位: 根

Designation: L1-L3 connection bar
Unit: Piece



8PT23827
名称: L1-L3相铜排
单位: 根

Designation: L1-L3 connection bar
Unit: Piece



8PT23827-G
名称: N-L2相铜排
单位: 根

Designation: N-L2 connection bar
Unit: Piece



8PT6418
名称: 轴螺母
单位: 只

Designation: Spindle nut M12
Unit: Piece



8PT5434
名称: 旋转轴承
单位: 只

Designation: Crank bearing
Unit: Piece

8PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



8PT25489
名称: M12轴
单位: 件

Designation: M12 spindle
Unit: Piece



8PT538
名称: 门锁
单位: 只
备注: 需要门锁钥匙时请注明

Designation: door lock assembly
Unit: Piece
Remark: if need key,Please remark



8PT8318
名称: 调整环(φ10内孔, M5 螺纹孔)
单位: 只

Designation: Setting ring10 DIN705
Unit: Piece



8PT8319
名称: 调整环(φ12内孔, M6 螺纹孔)
单位: 只

Designation: Setting ring12 DIN705
Unit: Piece




8PT2530D
名称: 标签框
单位: 只

Designation: Label
Unit: Piece



8PT535
名称: 门铰链
单位: 件

Designation: Hinge assembly
Unit: Piece



8PT3599
名称: 转接件(上)
单位: 块

Designation: Busbar enclosure top
Unit: Piece



8PT3600
名称: 转接件(下)
单位: 块

Designation: Busbar enclosure down
Unit: Piece



8PT75444
名称: U型把手(大)
单位: 只

Designation: U-handle 100mm
Unit: Piece



8PT5387
名称: U型把手(小)
单位: 只

Designation: U-handle 60mm
Unit: Piece



CJG-1(61)
名称: 操作机构(3VF9423 断路器)
单位: 包

Designation: Operating mechanism (3VF9423 circuit breaker)
Unit: Piece



CJG-1(62)
名称: 操作机构(3VF9323 断路器)
单位: 包

Designation: Operating mechanism (3VF9323 circuit breaker)
Unit: Piece



8PT5662
名称: 橡胶塞
单位: 只

Designation: Fastener
Unit: Piece



8PT8353
名称: 塞头
单位: 只

Designation: Plastic rivet
Unit: Piece



CJG-1(63)
名称: 操作机构(3VL160 断路器)
单位: 包

Designation: Operating mechanism (3VL160 circuit breaker)
Unit: Piece



CJG-1(64)
名称: 操作机构(3VL160/250断路器)
单位: 包

Designation: Operating mechanism (3VL160/250 circuit breaker)
Unit: Piece

8 PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



CJG-1(65)
名称: 操作机构(3VL400 断路器)
单位: 包

Designation: Operating mechanism
(3VL400 circuit breaker)
Unit: Piece



8PTSB-1(61)
名称: 小手柄(8UC61 手柄)
单位: 包

Designation: Shorthand (8UC61 handle)
Unit: Piece




8PTSB-1(62)
名称: 中手柄(8UC62 手柄)
单位: 包

Designation: Middle handle (8UC62
handle)
Unit: Piece



8PTSB-1(63)
名称: 长手柄(8UC63手柄)
单位: 包

Designation: Long handle (8UC63 handle)
Unit: Piece



8PTSB-1(71)
名称: 小手柄(8UC71手柄)
单位: 包

Designation: Short handle(8UC71
handle)
Unit: Piece



8PTSB-1(72)
名称: 中手柄(8UC72手柄)
单位: 包

Designation: Middle handle (8UC72 handle)
Unit: Piece



8PTSB-1(73)
名称: 长手柄(8UC73 手柄)
单位: 包

Designation: Long handle(8UC73
handle)
Unit: Piece



8PT5397(00)
名称: 夹持件
单位: 包

Designation: Holder
Unit: Piece



8PT8152(01)
名称: 对称块-8
单位: 件

Designation: Leve-8
Unit: Piece



8PT8151(02)
名称: 对称块6
单位: 件

Designation: Lever-6
Unit: Piece



8PT8154(01)
名称: 对称块-12
单位: 件

Designation: Lever-12
Unit: Piece



8PT5955(04)
名称: 插销
单位: 件

Designation: Bolt 4k12 3VF6
Unit: Piece



8PT9915(02)
名称: 插销
单位: 件

Designation: Bolf 4kil2 VL400
Unit: Piece



8PT5953(06)
名称: 插销
单位: 件

Designation: Bolt 4k18
Unit: Piece



8PT7169(03)
名称: 插销
单位: 件

Designation: Bolf 4k18
Unit: Piece



8PT35438(00)
名称: 插销
单位: 件

Designation: Bolt 4ki8 VT400
Unit: Piece

8PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality

 8PT7257(04) 名称: 插销 单位: 件 Designation: Bolt 4kH 23KL61 Unit: Piece	 8PT5951(01) 名称: 支柱 单位: 件 Designation: standard Unit: Piece
 8PT5640(03) 名称: 支柱 单位: 件 Designation: Standard 150-3KL52 Unit: Piece	 8PT9913(00) 名称: 支柱 单位: 件 Designation: standard 300 4kl2 Unit: Piece
 8PT35440(00) 名称: 支柱 单位: 件 Designation: standard 4k8 VT400 Unit: Piece	 8PT5552(04) 名称: 支柱 单位: 件 Designation: standard Unit: Piece
 8PT5950(02) 名称: 支柱 单位: 件 Designation: standard Unit: Piece	 8PT6539(05) 名称: 支柱 单位: 件 Designation: standard Unit: Piece

 8PT25491 名称: 轴承板 单位: 件 Designation: Bearing plate Unit: Piece	 8PT25492 名称: 右后轴承板 单位: 件 Designation: Bearing back right Unit: Piece
 8PT25490(00) 名称: 后轴承板 单位: 件 Designation: Bearing back Unit: Piece	 8PT5341(07) 名称: 闭合薄板 单位: 件 Designation: Closing sheet Unit: Piece
 8PT539(00) 名称: 门锁弯板 单位: 件 Designation: Closing sheet Unit: Piece	 8PT5954(03) 名称: 支柱 单位: 件 Designation: standard Unit: Piece
 8PT6698(01) 名称: 铰链 单位: 件 Designation: Hinge movable Unit: Piece	 8PT6699(00) 名称: 铰链 单位: 件 Designation: Hinge Unit: Piece

8PT Low Voltage Switchgear Accessories

 8PT5475(02) 名称：指示撑角 单位：件 Designation: Holder Unit: Piece	 8PT5544(04) 名称：指示撑角(150) 单位：件 Designation: Holder 150 Unit: Piece
 8PT6905(00) 名称：限位块 单位：件 Designation: Limit stop Unit: Piece	 8PT9667(00) 名称：门板 单位：件 Designation: Latch plate Unit: Piece
 8PT5944(01) 名称：插销 单位：件 Designation: SIVACON label Unit: Piece	 8PT5744 名称：安装板 单位：件 Designation: Mounting plate Unit: Piece
 8PT5623(03) 名称：导向架 单位：件 Designation: Guide bracket Unit: Piece	 8PT6540(04) 名称：导向架 单位：件 Designation: Guide bracket Unit: Piece

Establish a career with precision and win with quality

 8PT6887(07) 名称：抽屉机构右支架 单位：件 Designation: Lever right Unit: Piece	 8PT6789(07) 名称：抽屉机构左支架 单位：件 Designation: Leve left Unit: Piece
 8PT5958(01) 名称：转接件 单位：件 Designation: Adapter 3RV Unit: Piece	 8PT13254(04) 名称：门挡块 单位：件 Designation: slide for door Unit: Piece
 8PT6017(01) 名称：转接支架 单位：件 Designation: Adaptor bracket Unit: Piece	 8PT12582(04) 名称：二次安装动支架 单位：件 Designation: Adaptor bracket Unit: Piece
 8PT20567(03) 名称：抽屉联锁板1 单位：件 Designation: Slide 1 unit: Piece	 8PT8092(04) 名称：抽屉联锁板2 单位：件 Designation: Guide 2 Unit: Piece

8PT Low Voltage Switchgear Accessories



8PT5943(00)
名称: 对称件
单位: 件

Designation: Lever
Unit: Piece



8PT88(28)
名称: 橡皮护套
单位: 件

Designation: Bushing
Unit: Piece



3SB-3000
名称: 按钮
单位: 只

Designation: Push-button
Unit: Piece



8PT8354
名称: 绝缘套
单位: 件

Designation: Bellows
Unit: Piece



8PT6896(02)
名称: 加强板
单位: 件

Designation: Reinforcement
Unit: Piece



8PT11049
名称: 微动开关
单位: 件

Designation: Changer
Unit: Piece



8PT8150
名称: 弹簧片
单位: 只

Designation: Spring
Unit: Piece



8PT3432
名称: 侧出线铜排C
单位: 只

Designation: Copper bar L3
Unit: Piece

Establish a career with precision and win with quality



8PT3431
名称: 侧出线铜排B
单位: 只

Designation: Copper bar L2
Unit: Piece



8PT3430
名称: 侧出线铜排A
单位: 只

Designation: Copper bar U
Unit: Piece



8PT3426
名称: 侧出线铜排A
单位: 只

Designation: Copper bar L1
Unit: Piece



8PT3427
名称: 侧出线铜排B
单位: 只

Designation: Copper bar L2
Unit: Piece



8PT3428
名称: 侧出线铜排C
单位: 只

Designation: Copper bar L3
Unit: Piece



8PT22545(01)
名称: 铜排支架
单位: 件

Designation: Holder copper bar
Unit: Piece



8PT733(00)
名称: PE电缆导流板
单位: 件

Designation: Holder PE cubicle busbar
Unit: Piece



8PT9183(01)
名称: 垂直支撑导电条
单位: 件

Designation: Holder vertical busbar
Unit: Piece

8PT Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



8PT22722
名称: 铜排支架
单位: 件

Designation: Holder copper bar
Unit: Piece



8PT2627
名称: 绝缘板
单位: 件

Designation: Insulation plate
Unit: Piece



8PT5629
名称: 铜排支架
单位: 件

Designation: Copper bracket
Unit: Piece



8PT2093(00)
名称: 加强件85x30
单位: 件

Designation: Reinforcement 85×30
Unit: Piece



8PT5628
名称: 按钮
单位: 只

Designation: Push-button
Unit: Piece



8PT6084
名称: 加强件
单位: 件

Designation: Reinforcement
Unit: Piece



8PT3156
名称: 相间隔板
单位: 件

Designation: Cover between phases
Unit: Piece



8PT5626
名称: 主母线夹
单位: 件

Designation: Holder copper bar
Unit: Piece



8PT2622
名称: 支撑件
单位: 件

Designation: Holder
Unit: Piece



8PT5627
名称: 铜排支架
单位: 件

Designation: Holder copper bar
Unit: Piece



CMNS3.0 Low Voltage Switchgear Accessories

CMNS 组合式低压开关柜系统，在世界市场上经过多年使用，证实了它的价值。整个系统充分考虑了将来的发展空间，可避免因技术发展而被淘汰的风险。CMNS 系统采用的柜架结构具有高度灵活性，结构一旦组装完毕就不再需要维修。柜体内可安装不同的标准元件，以满足各种使用要求。由于整个系统包括电气结构均采用了组合式的设计，这种优化的结构设计满足了各种元件的要求并能符合不同工作环境，达到相应的防护等级。MNS 系统的设计和所采用的材料均能最大程度的防止故障电弧的发生，一旦发生故障电弧，能在短时间内熄灭。它符合IEC298附件AA的要求，并通过权威试验机构的故障电弧测试，同时也通过了型式试验。在试验中，故障电弧产生后不影响相邻的抽出式组件，电弧熄灭，抽屉组件经清理后，仍具有操作功能带有机械联锁的组件在柜中的位置没有变动，甚至在隔离位置上，柜体表面也没有故障的痕迹。

The CMNS combined low-voltage switchgear system has been proven to be valuable in the word market afer years of use.The entre system fully considers future development space,which can cvoid the risk ofbeing eliminated due to technological advancements.The cabinet structure used in the CMNS system has a high degree of flexibility,and once the stucture is assembled,itno longer requres maintenance.Dfferent standordcomponents can be instaled inside the cabinet to mee various Usage requirements.Due to the combination design of the enfre system,including the eledctical stucture,this opfimized structural design meets therequirements of various components and can mee dierent working environments,achieving corresponding protecion levels.The design and materialsused in theMNS system can prevent the occurence of foulr arcs to thegreatest extent possible.Once a foul rc occurs,it can be extinguished in a short period oftime.It meets the requirements of AnnexAA of IEC298 and has passed the fault arc test conducted byauthoritative testing insitutions,as well s the type test In the experiment,the ocurence of a fault arc does not affect adiacent withdrawable components,the arc is extinguished,and the drawer components sil have operational functionsafer cleaning;The components with mechanicalinterlocking havenot changed their posifion in the cabinet,and even in the isolation position,there are no signs of faults on the surface of the cabinet.



订货号: 1071401
代号: 1TSA275000 R001
名称: 抽屉联锁机构
Designation: Drawer interlock mechanism



订货号: 1071402
代号: 1TSA275002 R002
名称: 浮动二次动支架
Designation: Floating secondary movable support



订货号: 1071403
代号: 1TGB120005PX
名称: 可翻转测控板
Designafon: Controlpanels can be fiped



订货号: 1071404
代号: 1TSA275002 R004
名称: 隔板滑轮
Designation: Pulley spacer



订货号: 1071405
代号: 824.045.967
名称: 测控板支架
Designation: Control plate bracket



订货号: 1071406
代号: 1TSA 100064P0048
名称: 大门锁扣
Designation: Door lock



订货号: 1071407
代号: 1TSA 233000P0019
名称: 隔板定位孔防护罩
Designation:Spacer positioning holes shield



订货号: 1071408
代号: 1TSA271000 P0089
名称: 机构连杆导向块
Designation:Mechanism link guide block

CMNS3.0 Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



订货号: 1071409
代号: 1TSA 09002 R004
名称: 门锁
Designation: Lock



订货号: 1070943
代号: 1TB100101 A0016
名称: 16平方插片
Designation: 16 square inserts



订货号: 1071412
代号: 1TSA 090001R0044
名称: 抽屉塑料导轨
Designation: Drawer plastic guide



订货号: 1071413
代号: 1TGB 100129 R0010G
名称: S1小抽屉操作机构
Designation: S1 small drawer operating mechanism



订货号: 1070944
代号: 1TB100101A0025
名称: 25平方插片
Designation: 25 square inserts



订货号: 1070945
代号: 1TB100101A0035
名称: 35平方插片
Designation: 35 square inserts



订货号: 1071414
代号: 8ZY.045.975
名称: 8E 联锁杆
Designation: 8E locking lever



订货号: 1071415
代号: 8ZY.045.976
名称: 16E联锁杆
Designation: 16E locking lever



订货号: 1070946
代号: 1TB100101 A0050
名称: 50平方插片
Designation: 50 square inserts



订货号: 1070947
代 号: 1TB100101 A0070
名称: 70平方插片
Designation: 70 square inserts



订货号: 1071417
代号: 5ZY.045.967
名称: 大门铰链
Designation: Big hinges



订货号: 1071418
代号: 5ZY.045.968
名称: 母线室小门铰链
Designation: Busbar compartment door hinge



订货号: 1071410
代号: 1TSA 275000 R1002
名称: 抽屉防坠落钩
Designation: Drawer anti-fall hook



订货号: 1071411
代号: 1TSA 271000P0022
名称: 抽屉门轴螺丝
Designation: Drawer door shaft screw



订货号: 1071005
代号: 1TSA 060011R001
名称: 160A/3电缆组件
Designation: 60A/3 cable assemblies



订货号: 1071010
代号: 1TSA 060011R002
名称: 400A/3电缆组件
Designation: 400A/3 cable assemblies

CMNS3.0 Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



订货号: 1071007
代号: 1TSA 060011R003
 名称: 160A/6 电缆组件
 Designation: 160A/6 cable assemblies



订货号: 1071008
代号: 1TSA 060011R004
 名称: 250A/3 电缆组件
 Designation: 250A/3 cable assemblies



订货号: 1070117
代号: 8ZY.045.016
 名称: 功能板终端上盖板
 Designation: Function terminal cover plate



订货号: 1070118
代号: 8ZY.045.017
 名称: 功能板终端下盖板
 Designation: Functional board terminal under cover



订货号: 1071009
代号: 1TSA 060011R005
 名称: 250A/4 电缆组件
 Designation: 250A/4 Cable Assemblies



订货号: 1071006
代号: 1TSA 060011R006
 名称: 160A/4 电缆组件
 Designation: 160A/4 Cable Assemblies



订货号: 1070119
代号: 8ZY.045.018
 名称: 半块功能板下封板
 Designation: Function board under half a closure plate



订货号: 1070120
代号: 8ZY.045.019
 名称: 半块功能板上封板
 Designation: Half a functional board seal plate



订货号: 1070104
代号: 8ZY.045.003
 名称: 功能板
 Designation: Function board



订货号: 1070114
代号: 8ZY.045.013
 名称: 汇流排衬套板
 Designation: Bus liner board



订货号: 1070108
代号: 8ZY.045.007
 名称: 半块功能板
 Designation: Half a palette



订货号: 1071419
代号: 8ZY.045.982
 名称: 端子架板
 Designation: Terminal support plate



订货号: 1070115
代号: 8ZY.045.014
 名称: 功能板下封板
 Designation: Menu board seal plate



订货号: 1070116
代号: 8ZY.045.015
 名称: 功能板上封板
 Designation: Function panel seal plate



代号: 1TGB100102R0401
 名称: 1/4抽屉后板
 Designation: 1/4 drawerrear panel



代号: 1TGB100102R0452
 名称: 抽屉后板
 Designation: After the board drawer





GLBS200516R5102
名称: 8E/4转接件(1×20线)
单位: 套

Designation: 8E/4 conadpaler (1×20wire)
Unit: Set



GLBS200516R5106
名称: 8E/2转接件(2×20线)
单位: 套

Designation: 8E/2 conadpater (2×20 wire) Unit: Set



订货号: 1070535
代号: 8ZY.045.017

名称: 3.0拉手柄组合

Designation: 3.0pull handle combination



订货号: 1070536
代号: 8ZY.045.018

名称: 3.0新型拉手柄组合

Designation: 3.0 The new pull handle combination



NATUS Low voltage modular switchgear Accessories

Energon智能型低压组合式开关柜系统适用于工业、第三产业及基础设施等领域中大型场所的动力配电和电动机控制及电容补偿。nergon 目前已经成为欧洲工业、第三产业及基础设施建设的主要选择，并且已于近几年在亚洲和非洲实现了快速增长，风靡全球，遍及世界各地 130多个国家，广泛应用于：电厂、机场、地铁、石化、汽车厂、矿厂水泥厂、钢铁厂、造纸厂、污水处理厂...

双向滑动机械传动装置，保证了开关柜在关门状态下，方便地实现抽屉单元在连接、试验、分离位置地切换并保证设备外壳防护等级不改变，每个位置都有明显地指示。使得MCC 柜的抽出单元具有独特的、高度安全保障的连续闭锁功能，系统操作方便的同时又提供了对工作人员的安全保障，即当开关柜在关门的状态下，方便的实现抽屉单元在连接、试验、分离位置地切换并保证设备外壳防护等级不改变，每个位置都有明显地指示。

只有在柜门关闭的情况下，才可以用手动曲柄从连接位置切换到试验或分离位置。当抽出单元在连接、试验和分离任一位置的时候，抽出单元在开关柜内均有可靠的机械定位机构及指示机构。可使在抽出式单元由手柄摇出运行位置的过程中，主电源的触头与控制回路接插端子同时分别由纵向及横向移动脱离主电源与控制电源，使单元处于分离位置，且与电缆连接的金属插头(主电源触头)只在U型插座中滑动而电缆接头保持绝对静止，从而避免了接头的松动，大大增强了产品的操作可靠性。

The Energon intelligent lowvoltage combination switchgear system is suitable for power distribution, motor control, and capacitor compensation in large places in industrial, tertiary, and infrastructure fields. Negeron has become the main choice for industrial, tertiary, and infrastructure construction in Europe, and has achieved rapid growth in Asia and Africa in recent years. It has become popular worldwide, covering more than 130 countries around the world, and is widely used in power plants, airports, subways, petrochemicals, automobile factories, cement factories, steel mills, paper mills, sewage treatment plants

The bidirectional sliding mechanical transmission device ensures that the drawer unit can be easily switched between connection, testing, and separation positions when the switchgear is in the closed door state, and ensures that the protection level of the equipment casing does not change, with clear indications at each position. This makes the extraction unit of the MCC cabinet have a unique and highly secure continuous locking function, making the system easy to operate and providing safety protection for workers. When the switchgear is in the closed state, it is convenient to switch the connection, testing, and separation positions of the drawer unit and ensure that the protection level of the equipment casing does not change, with clear indications at each position.

Only when the cabinet door is closed, can a manual crank be used to switch from the connection position to the test or separation position. When the extraction unit is connected, tested, or separated at any position, there is a reliable mechanical positioning mechanism and indicator mechanism inside the switchgear. During the process of shaking the withdrawable unit out of its operating position by the handle, the contact of the main power supply and the control circuit plug terminal can move longitudinally and horizontally respectively to separate from the main power supply and control power supply, keeping the unit in a separate position. The metal plug (main power supply contact) connected to the cable only slides in the U-shaped socket while the cable joint remains absolutely stationary, thereby avoiding loosening of the joint and greatly enhancing the operational reliability of the product.

NATUS Low Voltage Switchgear Accessories

Establish a career with precision and win with quality



订货号: 1090701
代号: 110303
 名称: Q3HE 型抽屉操作机构
 Designation: Q3HE drawer operating mechanism



订货号: 1090702
代号: 110304
 名称: Q4HE 型抽屉操作机构
 Designation: Q4HE drawer operating mechanism



订货号: 1090603
代号: 109254
 名称: 固定连接件绝缘盖
 Designation: Fixed connector insulating cover



订货号: 1090604
代号: 109691
 名称: 固定连接件绝缘夹
 Designation: Fixed connector insulated clip



订货号: 1090501
代号: 103800
 名称: 小母线端盖
 Designation: Small bus cover



订货号: 1090503
代号: 108920
 名称: 垂直母线夹槽板(相距 90 TMY6×60)
 Designation: Vertical Bus clip slot board (apart 90 TMY6×60)



订货号: 1090505
代号: 109692
 名称: 80KA 母线夹
 Designation: 80KA Bus clip



订货号: 1090605
代号: 109787
 名称: 抽屉出线转接件
 Designation: Drawer outlet adapter



订货号: 1090504
代号: 108921
 名称: 垂直母线夹槽板(相距 90 TMY10×60)
 Designation: Vertical Bus clip slot board (apart 90 TMY 10×60)



订货号: 1090505
代号: 108922
 名称: 垂直母线夹平盖板
 Designation: Vertical Bus clip flat cover



订货号: 1090508
代号: 109972
 名称: PD 柜母线夹底座
 Designation: PD cabinet Bus clip base



订货号: 1090506
代号: 10099
 名称: 80KA水平母线夹 (相距10mm、3×10×100)
 Designation: 80KA level Bus clip (Distance 10mm, 3×10×100)



订货号: 1090601
代号: 109251
 名称: 出线电缆封盖
 Designation:



订货号: 1090602
代号: 109253
 名称: 固定连接件绝缘座
 Designation: Fixed connector insulating base



订货号: 1090507
代号: 10099.1
 名称: 80KA 水平母线夹 (相距10mm、3×10×80)
 Designation: 80KA level Bus clip (Distance 10mm, 3×10×80)



订货号: 1090801
代号: 113081
 名称: 门把手(大)(与普通门锁配套)
 Designation: Door handles (large) (ordinary Lock)

NATUS Low Voltage Switchgear Accessories

Establish a career with precision and win with quality




订货号: 1090802
代号: 113082

名称: 抽屉门把手(小)(与普通门锁配套)
Designation: Drawer door handle (small)(ordinary door Lock compatible)



订货号: 1090803
代号: 113108

名称: 普通门锁(1)+门把手
Designation: Common door lock(1)+ door handle



订货号: 1090807
代号: 0390251061

名称: N 型抽屉单元锁紧弹簧
Designation: N-type drawer unit locking spring



订货号: 1090808
代号: 0390508011

名称: 活板拐臂
Designation: Flap crank arm



订货号: 1090804
代号: 113910

名称: 抽屉单元锁+抽屉门把手
Designation: Drawer unit lock+Drawer door handles



订货号: 1090703+1090705
代号: 114171

名称: 抽屉底座(400A 及以下)
Designation: Drawer pedestal (400A and below)



订货号: 1090901
代号: 0390566001

名称: 防爆门锁盖(左)
Designation: Explosion-proof lock cover (left)



订货号: 1090902
代号: 0390566001

名称: 防爆门锁盖(右)
Designation: Explosion-proof lock cover (right)



订货号: 1090704
代号: 114172

名称: 抽屉底座(400A及以上)
Designation: Drawer pedestal (400A and above)



订货号: 1090906
代号: 0390661011

名称: 垂直母线底护盖
Designation: Vertical Bus bottom cover



订货号: 1090907
代号: 0390676001

名称: 垂直母线端盖护套
Designation: Vertical Bus cover jacket



订货号: 1090908
代号: 0390676021

名称: 垂直母排端盖护套2
Designation: Vertical Bus cover jacket 2



订货号: 1090805
代号: 0330012001

名称: 拐臂压板
Designation: Levers platen



订货号: 1090806
代号: 0330013011

名称: 推进插板
Designation: Promoting card



名称: 垂直母线夹 Designation: Vertical Bus clip		
订货号	代号	型号
1090512	3BY. 8110. 131	MD-6X40
1090513	3BY. 8110. 107	MD-6X50
1090514	3BY. 8110. 109	MD-6X60
1090510	3BY. 8110. 111	MD-6X80
1090515	3BY. 8110. 113	MD-6X100



名称: 垂直母线托架 Designation: Vertical bus bays		
订货号	代号	型号
1090516	3BY. 8110. 131	MD-6X40
1090517	3BY. 8110. 107	MD-6X50
1090518	3BY. 8110. 109	MD-6X60
1090511	3BY. 8110. 111	MD-6X80
1090519	3BY. 8110. 113	MD-6X100

NATUS Low Voltage Switchgear Accessories



订货号: 1090903
代号: 0390648001(1)

名称: 活板支架
 Designation: Flap bracket



订货号: 1090904
代号: 0390649001

名称: 前、后活板
 Designation: Front and rear flaps



订货号: 1090502
代号: 104979

名称: 小母排
 Designation: Small busbars



订货号: 1090909
代号: 5ZY.047.207

名称: 1/2操作手柄方孔8×8
 Designation: Small busbars 1/2 of the operating handle 8×8 square hole

订货号: 1090910
代号: 5ZY.047.208

名称: 1/2操作手柄方孔6×6
 Designation: Small busbars 1/2 of the operating handle 6×6 square hole



订货号: 1090809
代号: 3BY.8255.001

名称: 断路器驱动轴10
 Designation: Breaker driveshaft 10



订货号: 1090810
代号: 3BY.8255.002

名称: 抽屉滑杆
 Designation: Drawer slider



订货号: 1090811
代号: 3BY.8255.007

名称: 断路器驱动轴8
 Designation: Breaker shaft 8



订货号: 1090812
代号: 3BY.8255.008

名称: 断路器驱动轴6
 Designation: Breaker driveshaft 6

MD190 Low Voltage Switchgear Accessories



订货号: 11601001

名称: MD190 三通
 Designation: MD190 Tee



订货号: 11601003

名称: MD190 前门铰链
 Designation: MD190 front door hinge



订货号: 11601004

名称: MD190异形铰链
 Designation: MD190 shaped hinge



订货号: 11601002

名称: MD190螺钉把手
 Designation: MD190 screw handle



订货号: 11601006

名称: MD190门轴套
 Designation: MD190 door bushings



订货号: 11601004

名称: MD190 前门铰链螺丝
 Designation: MD190 front door hinge screws



名称: 三极母线夹
 规格: 6D38D310D3-80中心
 6S3(8S3、10S3)-105中心
 Designation: Tripolar Bus clip
 Specifications: 6D38D310D3-80 center
 6S3(8S3,10S3)-105 center



名称: 四极母线夹
 规格: 6D48D410D4-80 中心
 6S48S410S4-105 中心
 Designation: Quadrupole Bus clip
 Specifications: 6D4 8D410D4-80 center
 6S4 8S410S4-105 center