



Ningbo Richge Technology Co., Ltd

Room (4-1)(4-2)B203,Building003 No.1083,
Zhongshan East Road Yinzhou District, Ningbo, Zhejiang,China

Sunny Zhao
International Sales Manager

Mobile:+8618958965181 (Whatsapp/Viber)
E-mail:sales@switchgearcn.net
<https://www.richgeswitchgear.com/>

Richge Technology

Medium Vol Taze Switchgear Accessories

Ningbo Richge Technology Co., Ltd



High voltage insulation series

Establish a career with precision and win with quality



Qualifications and Honors Certification >>>

Integrated industry and trade manufacturing company established in 1987. It is a designated accessory manufacturer by the China Electrical Equipment Industry Association, the Electric Control Industry Association and relevant state ministries and commissions, and a governing unit of the Electrical Machinery and Equipment Structure Branch of the China Electrical Equipment Industry Association. There are more than 1,000 products, covering all low-voltage switchgear accessories listed as MNS, GCS, GCK, R-Blokset, R-Okken, etc. Main circuit connectors, auxiliary circuit connectors, switch operating mechanisms, MNS, GCS insulating parts, cable connection unit, switchgear door locks and other series of products have been repeatedly rated as industry recommended products and Zhejiang Province market trusted famous and high-quality products.

CNC laser cuttings machines, folding machines, 63-ton punching machines, 630~4500g fully automatic computer-controlled injection molding machines, etc. Temperature rise testing equipment, voltage testers, resistance testers and other related testing equipment.

We always adhered to the corporate purpose of quality-oriented, hard innovation, sincere service, and steady development. With the care and help of all sectors of society, it has continued to grow. ISO 9001:2000 quality system certificated, which has built a bridge of credibility for domestic and foreign sales. We sincerely hope to strengthen cooperation and create brilliance together.




Catalog >>>

●35KV High voltage insulation series	P02-16
●24KV High voltage insulation series	P17-21
●12KV High voltage insulation series	P22-33




35KV High voltage insulation series



35KV High voltage insulation series

Contact box


- ◆ 3AV3 Contact box outline and installation dimension: CTH1-40.5/660
Order NO.: 1503501




Establish a career with precision and win with quality

Contact box


- ◆ VEP contact box outline and installation dimension: CTH3-40.5/606
Order NO.: 1503504



- ◆ VD4 Contact box outline and installation dimension: CTH2-40.5/606
Order NO.: 1503502




- ◆ Contact box tee and installation dimension: CTH4-40.5/660
Order NO.: 1503503




35KV High voltage insulation series

Bending Plate

◆3AV3 Bending Plate outline and installation dimension: WB1-40.5Q/180
Order NO.: 1583501




◆VD4 Bending Plate outline and installation dimension: WB2-40.5Q/122
Order NO.: 1583502




Establish a career with precision and win with quality

Bending Plate

◆3VD4 Bending Plate outline and installation dimension: WB6-40.5Q/186




◆3AV3 Bending Plate outline and installation dimension: WB7-40.5Q/150




35KV High voltage insulation series

Bending plate


◆3AV3 Bending Plate outline and installation dimension: WB3-40.5Q/80
 Order NO.: 1583503



◆3AV3 Bending Plate outline and installation dimension弯板型号: WB4-40.5Q/68
 Order NO.: 1583505




◆3AV3 Bending Plate outline and installation dimension弯板型号: WB5-40.5Q/120
 Order NO.: 1583506




Establish a career with precision and win with quality

Wall bushing

◆3AV3 Wall bushing outline and installation dimension: TG-40.5Q/260×450P




◆3AV3 Wall bushing outline and installation dimension: TG-40.5Q/260×420P




35KV High voltage insulation series

Wall bushing

◆ 3AV3 Wall bushing outline and installation dimension: TG-40.5Q/220×450P



◆ 3AV3 Wall bushing outline and installation dimension: TG-40.5Q/290×528P



◆ 35kV Shielding Mesh、Silicone rubber pad、Shielding Wire
Order NO.: 1553512




Establish a career with precision and win with quality

High voltage insulator


◆ High voltage insulator outline and installation dimension: JYZ-40.5Q/130X320
Order NO.: 1563502

◆ High voltage insulator outline and installation dimension: JYZ-40.5Q/130X340
Order NO.: 1563503



◆ High voltage insulator outline and installation dimension: JYZ-40.5Q/130X360
Order NO.: 1563504


◆ High voltage insulator outline and installation dimension: JYZ-40.5Q/130X380
Order NO.: 1563505



35KV High voltage insulation series

High voltage insulator


- ◆High voltage insulator outline and installation dimension: JYZ-40.5Q/155X320
Order NO.: 1563506
- ◆High voltage insulator outline and installation dimension: JYZ-40.5Q/155X340
Order NO.: 1563507



Establish a career with precision and win with quality


High voltage insulator

- ◆High voltage insulator outline and installation dimension: JYZ-40.5Q/155X420/460/480(Plateau Type)



Sensor


- ◆Sensor outline and installation dimension: CGQ-40.5Q/130X320
Order NO.: 1573502
- ◆Sensor outline and installation dimension: CGQ-40.5Q/130X340
Order NO.: 1573503




35KV High voltage insulation series

Sensor


◆ Sensor outline and installation dimension:
CGQ-40.5Q/130X360
Order NO.: 1573504




◆ Sensor outline and installation dimension:
CGQ-40.5Q/130X380
Order NO.: 1573505



◆ Sensor outline and installation dimension:
CGQ-40.5Q/155X320
Order NO.: 1573506



◆ Sensor outline and installation dimension:
CGQ-40.5Q/155X340
Order NO.: 1573507




Sensor


◆ Sensor outline and installation dimension: CGQ-40.5Q/155X360
Order NO.: 1573508



◆ Sensor outline and installation dimension:
CGQ-40.5Q/155X380
Order NO.: 1573509



◆ Sensor outline and installation dimension: CGQ-40.5Q/155X420/460/480 (Plateau Type)



Order NO.: 1573515


Order NO.: 1573516

Order NO.: 1573517


35KV High voltage insulation series

Conjoined insulator/Integrated sensor/sensor with cover


◆35KV Conjoined insulator outline and installation dimension
Order NO. : 1563513



◆35KV Integrated sensor outline and installation dimension
Order NO.: 1583505



◆35KV sensor with cover outline and installation dimension




24KV High voltage insulation series


24KV High voltage insulation series

Wall bushing


◆Wall bushing outline and installationdimension: TG-24Q/180X180X280



◆Wall bushing outline and installationdimension: TG-24Q/190X190X330




◆Wall bushing outline and installationdimension: TG-24Q/175X255X310




Establish a career with precision and win with quality

Contact box


◆Contact box outline and installationdimension: CTH-24Q/250 Rated current 2500A-3150A
Order NO.: 1502401



◆Contact box outline and installationdimension: CTH-24Q/252 Rated current 4000A
Order NO.: 1502402




◆Contact box outline and installationdimension: CTH-24Q/225 Rated current 1250A-2500A
Order NO.: 1502403




24KV High voltage insulation series

High voltage insulator


◆High voltage insulator outline and installation dimension: JYZ-24Q/110X210(SZY-APG-24)
Order NO.: 1562401




◆High voltage insulator outline and installation dimension: JYZ-24Q/110X225(SZY-APG-24)
Order NO.: 1562402



◆High voltage insulator outline and installation dimension: JYZ-24Q/110X240(SZY-APG-24)
Order NO.: 1562404




◆High voltage insulator outline and installation dimension: JYZ-24Q/110X245(SZY-APG-24)
Order NO.: 1562403




Establish a career with precision and win with quality

Sensor


◆Sensor outline and installation dimension : CGQ-24Q/110X210(SZY-APG-24)
Order NO. : 1572401




◆Sensor outline and installation dimension : CGQ-24Q/110X225(SZY-APG-24)
Order NO.: 1572402



◆Sensor outline and installation dimension : CGQ-24Q/110X240(SZY-APG-24)
Order NO.: 1572404



◆Sensor outline and installation dimension : CGQ-24Q/110X245(SZY-APG-24)
Order NO.: 1572403




Establish a career with precision and win with quality

High voltage insulator


◆ High voltage insulator outline and installation dimension: JYZ1-12Q

Order NO.	Model No.
1561001	JYZ1-12Q/85*140
1561002	JYZ1-12Q/85*145
1561003	JYZ1-12Q/85*150



◆ High voltage insulator outline and installation dimension: JYZ2-12Q


Order NO.	Model No.
1561018	JYZ2-12Q/85*140
1561019	JYZ2-12Q/85*145




12KV High voltage insulation series

◆ High voltage insulator outline and installation dimension: JYZ3-12Q

Order NO.	Model No.
1561020	JYZ3-12Q/85*140-46
1561021	JYZ3-12Q/85*145-46



◆ High voltage insulator outline and installation dimension: JYZ4-12Q/80X140
Order NO.: 1561022



12KV High voltage insulation series

High voltage insulator


◆High voltage insulator outline and installation dimension: : JYZ5-12Q/95X130

Order NO.: 1561015




◆High voltage insulator outline and installation dimension: : JYZ6-12Q

Order NO.	Model No.
561007	YZ6-12Q/100X165
561008	YZ6-12Q/100X170
561009	YZ6-12Q/100X180
561010	YZ6-12Q/100X185




◆High voltage insulator outline and installation dimension: JYZ7-12Q

Order NO.	Model No.
1561004	JYZ7-12Q/105X140
1561005	YZ7-12Q/105X145
1561006	JYZ7-12Q/105X150



◆High voltage insulator outline and installation dimension: JYZ8-12Q/80X130
JYZ8-12Q/80X140 .JYZ8-12Q/80X145


Order NO.: 1561023




Establish a career with precision and win with quality

High voltage insulator

◆High voltage insulator outline and installation dimension: : JY9-12Q/95X145
JY9-12Q/95X170



◆High voltage insulator outline and installation dimension: : JY10-12Q/140X145
JY10-12Q/140X170




12KV High voltage insulation series

Establish a career with precision and win with quality

Sensor


◆ Sensor outline and installation dimension: CGQ1-12Q

Order NO.	Model No.
1571007	CGQ1-12Q/100X165
1571008	CGQ1-12Q/100X170
1571009	CGQ1-12Q/100X180
1570010	CGQ1-12Q/100X185




◆ Sensor outline and installation dimension: CGQ2-12Q

Order NO.	Model No.
1571004	CGQ2-12Q/105X140
1571005	CGQ2-12Q/105X145
1571006	CGQ2-12Q/105X150




◆ Sensor outline and installation dimension: CGQ3-12Q

Order NO.	Model No.
1571017	Q3-12Q/95X140-46
1571018	CGQ3-12Q/95X145-46




◆ Sensor outline and installation dimension: CGQ4-12Q/80X130、CGQ4-12Q/80X140、CGQ4-12Q/80X145

Order NO.: 1571016




Sensor/Contact box

◆ Sensor outline and installation dimension: CGQ5-12Q/95X130
Order NO.: 1571003



Order NO.	Model No.
1571003	CGQ5-12Q/95X130
1571004	CGQ5-12Q/95X140
1571002	CGQ5-12Q/95X145

◆ Duckbill contact box outline and installation dimension: JYN2
Order NO.: 1501012




12KV High voltage insulation series

Contact box

◆Contact box outline and installation dimension:
CTH7-12Q/150 Rated current: 630A-1250A


Order NO.: 1501001 Single Hole

Order NO.: 1501002 Double Hole



◆Contact box outline and installation dimension:
CTH2-12Q/190 Rated current: 1250A-1600A

Order NO.: 1501004




Establish a career with precision and win with quality

Contact box


◆Contact box outline and installation dimension:
CTH5-12Q/208 Rated current: 1250A-1600A

Order NO.: 1501005




◆Contact box outline and installation dimension:
CTH6-12Q/250 Rated current: 2500A-4000A

Order NO.: 1501007



◆Contact box outline and installation dimension:
CTH3-12Q/190 (Improved Type)
Rated current: 1250A-1600A

Order NO.: 1501010



◆Contact box outline and installation dimension:
CTH4-12Q/180 Rated current: 1250A-1600A

Order NO.: 1501005



◆Contact box outline and installation dimension:
CTH7-12Q/250 (Improved Type)
Rated current: 4000A

Order NO.: 1501011



◆Contact box outline and installation dimension:
CTH8-12Q/270 Rated current: 4000A


Order NO.: 1501008




12KV High voltage insulation series

Contact box


◆ Contact box outline and installation dimension: CTH9-12Q/150 Double Busbar
Order NO.: 1501012



◆ Contact box outline and installation dimension: CTH70-12Q/190 Double Busbar
Order NO.: 1501013




◆ Contact box outline and installation dimension: CTH11-12Q/150



Establish a career with precision and win with quality


Wall bushing

◆ Wall bushing outline and installation dimension: TG1-12Q/110X180



Order NO	A	B	Color
1551009	50	5	Red
551010	60	6	Red
1551011	80	8	Red
551012	80	10	Red
1551013	100	10	Red
1551014	120	10	Red
551015	88	18	Double Red
1551016	108	18	Double Red
551017	58	13	Red
551018	68	14	Red
1551019	68	18	Red
1551020	88	18	Red
155102	88	16	Red
1551022	108	18	Red
551023	128	18	Red
1551024	132	40	Red
1551025	66	12	Red
551026	110	40	Red
551027	68	14	Coffee
1551028	88	18	Coffee
551029	108	18	Coffee
1551047	108	28	Red
155105	50	10	Red
1551053	66	15	Coffee
1551055	135	20	Red

◆ Wall bushing outline and installation dimension: TG2-12Q/140X200



Order NO	A	B	Color
1551034	105	18	Red
1551035	88	18	Red
1551036	110	40	Red
1551037	110	60	Red
155103	108	18	Red
1551039	135	18	Red
1551040	130	40	Red
1551041	140	60	Red
551042	140	40	Red
1551043	90	80	Red
1551045	125	10	Red
1551046	130	60	Red

12KV High voltage insulation series

Wall bushing



◆ Wall bushing outline and installation dimension: TG3-12Q/140×200/(SZY-APG-12) Big Current

Order NO.: 1551056

◆ Wall bushing outline and installation dimension: TG4-12Q/100X100(SZY-APG-12)

Order NO.	A	B	Color
1551001	50	5	Red
1551002	60	6	Red
1551003	65	15	Red
1551004	68	15	Red

Order NO.	A	B	Color
1551005	50	5	Coffee
1551006	60	6	Coffee
1551007	65	15	Coffee
1551008	68	15	Coffee





◆ Wall bushing outline and installation dimension: TG5-12Q/125X125(SZY-APG-12)

Order NO.	A	B	Color
1551031	68	14	Red
1551032	88	18	Red
1551033	105	15	Red

◆ Wall bushing outline and installation dimension: TG6-12Q/152X152 (SZY-APG-12)

Order NO.	A	B	Color
1551044	18	88	Red




Establish a career with precision and win with quality

PT insulation parts


◆ Conjoined insulator outline and installation dimension: PTJYZ-12Q/630-1600A

Order NO.: 1561013




◆ Lower insulation cover outline and installation dimension: JV1

Order NO.: 1561011




◆ Upper insulation cover outline and installation dimension: JV2

Order NO.: 1561012



◆ Contact arm sleeve outline and installation dimension: CBTG

Outline Size: $\phi 46 \times 290$ $\phi 46 \times 230$ $\phi 46 \times 210$



Order NO.	Model No.
1561014	CBTG-1 $\phi 46 \times 290$
1561015	CBTG-2 $\phi 46 \times 230$
1561016	CBTG-3 $\phi 46 \times 210$